

HPD UNIQUE IDENTIFIER: 1315534848

CLASSIFICATION: 08 71 00 Door Hardware

**PRODUCT DESCRIPTION:** The IVES FB31 and FB51 flush bolts are essential door hardware components specifically designed to secure the inactive leaf of double door systems. These flush bolts are widely used in both commercial and residential settings to enhance security and maintain proper door alignment. The FB31 Series flush bolts will relatch when the active leaf is closed after the inactive leaf has already been closed. On the other hand, the FB51 series flush bolts automatically relatch whenever the inactive leaf is closed. The FB31 Series is available in three configurations: top flush bolt only, bottom flush bolt only, or as a pair containing both top and bottom flush bolts. The FB51 Series, on the other hand, is available as either a top flush bolt only or as a pair of top and bottom flush bolts. With their reliable functionality and wide range of configuration options, the IVES FB31 and FB51 flush bolts are trusted choices for securing double door systems, providing peace of mind in both commercial and residential applications. Both the FB31 and FB51 series are offered in brass and stainless steel bases, providing durability and strength. Additionally, a variety of finish options are available to meet different aesthetic preferences and design requirements.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities Evaluation</b></p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p><b>Explanation(s) provided :</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p><b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[PRODUCT](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)  
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

**IVES - FB31 SERIES AUTOMATIC AND FB51 SERIES CONSTANT LATCHING FLUSH BOLTS [ UNS G10800-10220 STEEL ALLOY COPPER STEEL ALLOY UNS S30400 STAINLESS STEEL ALLOY UNS G12144 STEEL ALLOY UNS G15410 STEEL ALLOY COPPER STEEL ALLOY ASTM B 783 INFILTRATED STEEL POWDERED METAL COPPER STEEL ALLOY UNS K08500 STEEL ALLOY UNS S30200 STAINLESS STEEL ]**

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None  
 Nanomaterial ... No  
**INVENTORY AND SCREENING NOTES:**  
 Special Conditions applied: [MetalAlloy]

Inventory is based on IVES FB31P automatic flush bolt and FB51P constant latching flush bolt with a stainless steel base. This HPD covers the following finishes: 629 (bright stainless steel) and 630 (satin stainless steel).

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.  
 Pre-checked for LEED v4 Option 2.  
 Pre-checked for LEED v4.1 Option 1.

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2023-12-07</p> <p>PUBLISHED DATE: 2023-12-21</p> <p>EXPIRY DATE: 2026-12-07</p>
--	--	--

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

**IVES - FB31 SERIES AUTOMATIC AND FB51 SERIES CONSTANT LATCHING FLUSH BOLTS**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were collected for all raw materials included in this product. All chemicals that fall above the stated threshold are included.

OTHER PRODUCT NOTES:

**UNS G10800-10220 STEEL ALLOY**

ID: **UNS G10080-10220**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **35.0000 - 45.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS G10080-10220](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

**COPPER STEEL ALLOY**

ID: **MPIF FC-0208-60**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **15.0000 - 20.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [MPIF FC-0208-60](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### UNS S30400 STAINLESS STEEL ALLOY

ID: **UNS S30400**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **10.0000 - 15.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS S30400](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: Nickel (Ni) - LT-1

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### UNS G12144 STEEL ALLOY

ID: **UNS G12144**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **9.0000 - 15.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS G12144](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: Lead (Pb) - BM-1

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### UNS G15410 STEEL ALLOY

ID: **UNS G15410**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **5.0000 - 15.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS G15410](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### COPPER STEEL ALLOY

ID: **MPIF FC-0208-50**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **1.0000 - 6.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [MPIF FC-0208-50](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### ASTM B 783 INFILTRATED STEEL POWDERED METAL

ID: [MPIF FX-1005-40](#)

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **0.0000 - 3.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [MPIF FX-1005-40](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### COPPER STEEL ALLOY

ID: [MPIF FC-0205-35](#)

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **0.0000 - 2.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [MPIF FC-0205-35](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### UNS K08500 STEEL ALLOY

ID: **UNS K08500**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **0.0000 - 1.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS K08500](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

### UNS S30200 STAINLESS STEEL

ID: **UNS S30200**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **0.0000 - 1.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS S30200](#) ]

---

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

---

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: Nickel (Ni) - LT-1

---

LISTING NOTES: No Additional Listings appear for the alloy.

---

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-12-07 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### IVES COR BAR COORDINATOR

MANUFACTURER (OR GENERIC): Allegion

HPD URL: No HPD Available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: It is recommended that Ives FB31 series automatic flush bolts and IVES FB51 series constant latching flush bolts are installed with a coordinator, such as the IVES COR bar coordinator, as well as a door closer, such as the LCN 4000 series.

### LCN 4000 SERIES

MANUFACTURER (OR GENERIC): Allegion

HPD URL: No HPD Available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: It is recommended that Ives FB31 series automatic flush bolts and IVES FB51 series constant latching flushbolts are installed with a coordinator, such as the IVES COR bar coordinator, as well as a door closer, such as the LCN 4000 series.

## Section 5: General Notes

This HPD covers Ives FB31 series automatic flush bolt and IVES FB51 series constant latching flush bolts with a stainless steel base and a bright stainless steel (629) or satin stainless steel finish (630). Constant latching flush bolts automatically relatch anytime the inactive leaf is closed. Automatic flush bolts relatch when the active leaf is closed after the inactive leaf has already been closed.



**MANUFACTURER INFORMATION**

MANUFACTURER: Allegion  
 ADDRESS: 7221 West 350 North  
 Greenfield, IN 46140  
 COUNTRY: USA

WEBSITE: <https://us.allegion.com/en/products/brands/ives/flush-bolts.html>  
 CONTACT NAME: Aaron Owens  
 TITLE: Sustainability Specialist  
 PHONE: 317-810-3751  
 EMAIL: [sustainability@allegion.com](mailto:sustainability@allegion.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*