
THIS DIAGRAM REPRESENTS A GENERIC CONFIGURATION. CUSTOM WIRING DIAGRAMS CAN BE ACQUIRED BY CONTACTING TECHNICAL SUPPORT.



NOTE:

***** USE #12 GAUGE WIRE FOR DISTANCES UP TO 200' FROM EPT TO PS914

***** USE #14 GAUGE WIRE FOR DISTANCES UP TO 100' FROM EPT TO PS914

SET PS914 TO 24VDC

NOTES:

1) ALL LOW VOLTAGE WIRING TO BE STANDARD, MULTI-CONDUCTOR COLOR CODED WITHOUT SPLICES.

- 2) WIRING TO CONFORM TO APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL CODES.
- 3) REFER TO SPECIFIC PRODUCT INSTALLATION INSTRUCTIONS FOR SPESCIFIC WIRING REQUIREMENTS.
- 4) THIS DRAWING IS FOR GRAPHICAL REPRESENTATION OF PRODUCTS DETAILED IN THE HARDWARE SET ONLY.

HARDWARE USED:

- 2 VON DUPRIN OR FALCON EL PANIC
- 1 PS914-2RS POWER SUPPLY
- 2 EPT POWER TRANSFERS
- 1 621 AA REMOTE CONTROL PUSH BUTTON

REMOTE 621AA PB WITH PAIR ALLEGION EL DEVICES

OPERATION:

REMOTE CONTROL 621 AA PB TO SIGNAL PAIR EL ELECTRIC PANIC BAR TO RETRACT FOR ENTRY.

THIS CONFIGURATION REPRESENTS A NON FIRE RATED OPENING.

IN THIS EXAMPLE ALL WIRING CONNECTIONS ARE MADE IN PS914 ENCLOSURE.

DATE DRAWN: 3-14-14 5-3-13


copyright 2013

ALLEGION"

REMOTE 621AA PB WITH PAIR ALLEGION EL PANICS

DRAWING TYPE: RISER DIAGRAM DWG NO 109551 DRAWN/CHECKED B' B DOVE

THIS DIAGRAM REPRESENTS A GENERIC CONFIGURATION. CUSTOM WIRING DIAGRAMS CAN BE ACQUIRED BY CONTACTING TECHNICAL SUPPORT.



NOTE:

- *****USE #12 GAUGE WIRE FOR DISTANCES UP TO 200' FROM EPT TO PS914
- *****USE #14 GAUGE WIRE FOR DISTANCES UP TO 100' FROM EPT TO PS914

SET PS914 TO 24VDC

NOTES: 1) ALL LOW VOLTAGE WIRING TO BE STANDARD, MULTI-CONDUCTOR COLOR CODED WITHOUT SPLICES.

- 2) WIRING TO CONFORM TO APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL CODES.
- 3) REFER TO SPECIFIC PRODUCT INSTALLATION INSTRUCTIONS FOR SPESCIFIC WIRING REQUIREMENTS.
- 4) THIS DRAWING IS FOR GRAPHICAL REPRESENTATION OF PRODUCTS DETAILED IN THE HARDWARE SET ONLY.

HARDWARE USED:

2 VON DUPRIN OR FALCON FIRE RATED EL PANIC DEVICES

- 1 PS914-2RS POWER SUPPLY
- 2 EPT POWER TRANSFERS
- 621 AA REMOTE CONTROL SWITCH

REMOTE 621AA PB WITH PAIR NON FIRE RATED ALLEGION EL DEVICES

OPERATION:

REMOTE CONTROL 621AA PB TO SIGNAL PAIR ELECTRIC PANIC BARS TO RETRACT FOR ENTRY.

THIS EXAMPLE IS A NON FIRE RATED APPLICATION.

IN THIS EXAMPLE ALL WIRING CONNECTIONS ARE MADE IN PS914 ENCLOSURE.

REVISION DATE: 3-14-14 DATE DRAWN: 5-3-13

copyright 2013

ALLEGION CL

REMOTE 621AA PB WITH PAIR NON FIRE RATED ALLEGION EL PANICS

DRAWING TYPE: WIRING DIAGRAM DRAWN/CHECKED BY

109551 B DOVE