ALLEGION

Marketing Bulletin

Brand/product	Steelcraft
Date	TBD (leave blank and I'll fill in next newsletter release date)
Subject	Quarterly Price Book Update (Q3 2020)
Contact	Dewey VanVoorhis

Pages 17, 19, 21, 23, 25, and 27: Updated EMA (pierce, dimple, weld-in anchor with Bolts, Jambs over 7'1" thru 8'9" - $220
Page 43: Welded Frames – updated note 1 with DE-Series
Page 60: Hurricane – added 2 embossed options, H16-HD2 and H16-HD2A, and updated FBC Label information.
Page 70: Flush and Embossed – updated Double Door Factory Stain Price
Page 80: Single Acting Pivots – updated Door and frame prep pricing (7)
Page 86: 12 Gage Head Reinforcing Channel, updated price $160
Page 93: Strikes – Rim exit device Reinf., updated $20
Page 99 and 100: Borrowed Lights – included MU -Series.
Page 107: Corrected Supported Series for Adjustable Base Anchor.
Page 117: Door Filler Plates – included Door Series supported.
Page 124: F16 Head – updated 7479 price to $103
Page 125: Corrected head Prices on 4" Face.
Page 129: Corrected 10 Pak pricing.
Page 132: Expanded Lock Hardware Options for West Coast Service Center.
Page 133: Corrected Price on Part number 19458 to $114.
Page 139: Corrected SZ18 Unit door prices for West Coast Service Center

ALLEGION™

STEELCRAFT®

Price book 7

Effective April 4, 2020 • Rev. 07/20

TABLE OF CONTENTS

GENERAL INFORMATION
Table of Contents 3

TERMS AND CONDITIONS
Warranty 8
Ordering Information and Standards 9
Programs - Blue Ash 10
Programs - West Coast Service Center 10
Programs - Rapid Frame Options 10
Programs - Rapid Door Options 10

FRAMES
Frame Product Information 15
Flush Frames 16
Drywall Frames 28
Stainless Steel Frames 33
Thermal Break Frames 34
Casing-Ready Frames 38

DOORS
Door Product Information 47
Full Flush Doors 48
Embossed Panel Doors 56
Full Glass Entrance Doors 58
Storm Resistant Doors 60
Integrated Door System 66
Glass Lights 68
Custom Door Options 70
Stainless Steel Doors 72

HARDWARE PREPS
Coordinators 77
Closers 77
Flushbolts 77
Rescue Hardware 77
Hinges 78
Holders and Stops 78
Locks and Strikes 79
Pivots 80
Push/Pulls 80

STICKS
Lineal Inch Stick Pricing 82
Stick Lengths (TSF Parts) 87
Transom Frames Without Transom Bars 94
Borrowed Light Frames 97
Laminated Transom Panels 101

PARTS
Frame Parts 104
Door Parts 114

STOCK (BLUE ASH)
Frame Components 124
Welded 3 Sided Frames 126
Stick Lengths 127
Frame Kwik-Paks 128
Door (Units & Kwik Paks) 129

WEST COAST SERVICE CENTER
Modified Stock 131
Frame Components 133
Flush Doors 135

Prices subject to change without notice.

16 GAUGE FLUSH FRAMES
FOR 1 3/4" OR 1 3/8" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $43 ..... $48
- Per jamb ..... $16 ..... $18
- Per head ..... $11 ..... $12

GALVANIZED G-90 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $69 ..... $80
- Per jamb ..... $26 ..... $30
- Per head ..... $17 ..... $20
- Maximum opening height 9'10"

4" FACE HEAD: Thru 4'0" / Over 4'0"
$44 ..... $59

MARK NUMBERS ..... N/C

EQUAL RABBET ..... N/C

DUTCH FRAME: Non-Labeled / Labeled
$43 ..... $109

COMMUNICATING FRAMES:
- Single openings only $68
- Specify if doors swing from the same or opposite jambs

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS (4", 5 1/2" and 6" high standard)**:**
- Single rabbet 45º only $170
- Double rabbet 45º $170
- Double rabbet 90º $170

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
Welded-in standard anchors (in lieu of loose)		
Base	N/C	N/C
Jambs thru 7'6"	$33	$51
Jambs over 7'6" thru 10'0"	$44	$68
Each additional	$5.50	$8.50
EMA (pierce and dimple only)		
Jambs thru 7'1"	$32	$56
Jambs over 7'1" thru 8'9"	$40	$70
Jambs over 8'9" thru 10'0"	$48	$84
Each additional	$4	$7
EMA (pierce, dimple, weld-in anchors with bolts)		
Jambs thru 7'1"	$176	$328
Jambs over 7'1" thru 8'9"	$220	$410
Jambs over 8'9" thru 10'0"	$264	$492
Each additional	$22	$41

ANCHORS (Standard loose / lock-in):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
Base	$2.30	$4.60
Jambs thru 7'6"	$5.65	$11.30
Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL:
(2" face only, full jamb depth) $160

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted:
  - 14" strap installed $20
    (specify regular, parallel arm or top jamb)
  - Closer sleeve installed $39
- Concealed in head (per template) $218
- ALLE Concealed in head (per template) $198

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Additional ASA (4 7/8" ANSI A115.1-2) $17
- Additional Cylindrical (2 3/4" ANSI A115.3) $17
  (minimum 7" above or below standard strike)
- Double Cylindrical (2 3/4") on 4" centers $34
- Deadlock (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI 115.4) $47
- Surface Bolt reinf. $21
- Exit Devices:
  - Rim reinf. only $20
  - Vertical Rod reinf. only $24
  - Vertical Rod Mortise strike (each) $52
- Roller latch (each) $34

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic switch (rectangular and mortised) $99

NOTES:
1. Power transfers, electric strikes and concealed closers are not available on FN-Series frames.
2. Electric preps come standard with mortar guards on standard profile products, including knock-outs.

Indicates products that have EPD documentation available and meet LEED v4.

14 GAUGE FLUSH FRAMES
FOR 1 3/4" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $43 ..... $48
- Per jamb ..... $16 ..... $18
- Per head ..... $11 ..... $12

GALVANIZED G-90 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $69 ..... $80
- Per jamb ..... $26 ..... $30
- Per head ..... $17 ..... $20
- Maximum opening height 9'10"

4" FACE HEAD: Thru 4'0" / Over 4'0"
$44 ..... $59

MARK NUMBERS ..... N/C

EQUAL RABBET ..... N/C

DUTCH FRAME: Non-Labeled / Labeled
$43 ..... $109

COMMUNICATING FRAMES:
- Single openings only $68
- Specify if doors swing from the same or opposite jambs

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS (4", 5 1/2" and 6" high standard):
- Single rabbet 45º only $170
- Double rabbet 45º $170
- Double rabbet 90º $170

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
Welded-in standard anchors (in lieu of loose)		
Base	N/C	N/C
Jambs thru 7'6"	$33	$51
Jambs over 7'6" thru 10'0"	$44	$68
Each additional	$5.50	$8.50
EMA (pierce and dimple only)		
Jambs thru 7'1"	$32	$56
Jambs over 7'1" thru 8'9"	$40	$70
Jambs over 8'9" thru 10'0"	$48	$84
Each additional	$4	$7
EMA (pierce, dimple, weld-in anchors with bolts)		
Jambs thru 7'1"	$176	$328
Jambs over 7'1" thru 8'9"	$220	$410
Jambs over 8'9" thru 10'0"	$264	$492
Each additional	$22	$41

ANCHORS (Standard loose / lock-in):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
Base	$2.30	$4.60
Jambs thru 7'6"	$5.65	$11.30
Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL:
(2" face only, full jamb depth) $160

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted:
  - 14" strap installed $20
    (specify regular, parallel arm or top jamb)
  - Closer sleeve installed $39
- Concealed in head (per template) $218
- ALLE Concealed in head (per template) $198

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Additional ASA (4 7/8" ANSI A115.1-2) $17
- Additional Cylindrical (2 3/4" ANSI A115.3) $17
  (minimum 7" above or below standard strike)
- Double Cylindrical (2 3/4") on 4" centers $34
- Deadlock (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI 115.4) $47
- Surface Bolt reinf. $21
- Exit Devices:
  - Rim reinf. only $20
  - Vertical Rod reinf. only $24
  - Vertical Rod Mortise strike (each) $52
- Roller latch (each) $34

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic switch (rectangular and mortised) $99

NOTES:
1. Power transfers, electric strikes and concealed closers are not available on FN-Series frames.
2. Electric preps come standard with mortar guards on standard profile products, including knock-outs.

Indicates products that have EPD documentation available and meet LEED v4.

12 GAUGE FLUSH FRAMES
FOR 1 3/4" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $110 ..... $134
- Per jamb ..... $44 ..... $54
- Per head ..... $22 ..... $26

GALVANIZED G-90 STEEL: ..... not available

4" FACE HEAD: Thru 4'0" / Over 4'0"
$44 ..... $59

MARK NUMBERS ..... N/C

EQUAL RABBET ..... N/C

DUTCH FRAME: Non-Labeled / Labeled
$43 ..... not available

COMMUNICATING FRAMES:
- Single openings only $68
- Specify if doors swing from the same or opposite jambs

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS ..... not available

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
• Welded-in standard anchors (in lieu of loose)		
• Base	N/C	N/C
• Jambs thru 7'6"	$33	$51
• Jambs over 7'6" thru 10'0"	$44	$68
• Each additional	$5.50	$8.50
• EMA (pierce and dimple only)		
• Jambs thru 7'1"	$32	$56
• Jambs over 7'1" thru 8'9"	$40	$70
• Jambs over 8'9" thru 10'0"	$48	$84
• Each additional	$4	$7
• EMA (pierce, dimple, weld-in anchors with bolts)		
• Jambs thru 7'1"	$176	$328
• Jambs over 7'1" thru 8'9"	$220	$410
• Jambs over 8'9" thru 10'0"	$264	$492
• Each additional	$22	$41

ANCHORS (Standard loose / lock-in):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
• Base	$2.30	$4.60
• Jambs thru 7'6"	$5.65	$11.30
• Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL ..... not available

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted
  - 14" strap installed $20
    (specify regular, parallel arm or top jamb)
- Concealed in head ..... not available

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank Jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Additional ASA (4 7/8" ANSI A115.1-2) $17
- Additional Cylindrical (2 3/4" ANSI A115.3) $17
  (minimum 7" above or below standard strike)
- Double Cylindrical (2 3/4") on 4" centers $34
- Deadlock (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI 115.4) $47
- Exit Devices:
  - Rim reinf. only $20
  - Vertical Rod reinf. only $24

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic Switch (rectangular and mortised) $99

NOTE:
1. Electric preps come standard with mortar guards on standard profile products, including knock-outs.

Prices subject to change without notice.

Indicates products that have EPD documentation available and meet LEED v4.

16 GAUGE MULTI-USE FRAMES
FOR 1 3/4" OR 1 3/8" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $43 ..... $48
- Per jamb ..... $16 ..... $18
- Per head ..... $11 ..... $12

GALVANIZED G-90 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $69 ..... $80
- Per jamb ..... $26 ..... $30
- Per head ..... $17 ..... $20
- Maximum opening height 9'10"

4" FACE HEAD: Thru 4'0" / Over 4'0"
$44 ..... $59

MARK NUMBERS ..... N/C

EQUAL RABBET ..... N/C

DUTCH FRAME: Non-Labeled / Labeled
$43 ..... $109

COMMUNICATING FRAMES:
- Single openings only $68
- Specify if doors swing from the same or opposite jambs

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS (4", 5 1/2" and 6" high standard)**:**
- Single rabbet 45º only $170
- Double rabbet 45º $170
- Double rabbet 90º $170

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
Welded-in standard anchors (in lieu of loose)		
Base	N/C	N/C
Jambs thru 7'6"	$33	$51
Jambs over 7'6" thru 10'0"	$44	$68
Each additional	$5.50	$8.50
EMA (pierce and dimple only)		
Jambs thru 7'1"	$32	$56
Jambs over 7'1" thru 8'9"	$40	$70
Jambs over 8'9" thru 10'0"	$48	$84
Each additional	$4	$7
EMA (pierce, dimple, weld-in anchors with bolts)		
Jambs thru 7'1"	$176	$328
Jambs over 7'1" thru 8'9"	$220	$410
Jambs over 8'9" thru 10'0"	$264	$492
Each additional	$22	$41

ANCHORS (Standard loose / lock-in):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
Base	$2.30	$4.60
Jambs thru 7'6"	$5.65	$11.30
Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL:
(2" face only, full jamb depth) $160

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted:
  - 14" strap installed $20
    (specify regular, parallel arm or top jamb)
  - Closer sleeve installed $39
- Concealed in head (per template) $218
- ALLE Concealed in head (per template) $198

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Additional ASA (4 7/8" ANSI A115.1-2) $17
- Additional Cylindrical (2 3/4" ANSI A115.3) $17
  (minimum 7" above or below standard strike)
- Double Cylindrical (2 3/4") on 4" centers $34
- Deadlock (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI 115.4) $47
- Surface Bolt reinf. $21
- Exit Devices:
  - Rim reinf. only $20
  - Vertical Rod reinf. only $24
  - Vertical Rod Mortise strike (each) $52
- Roller latch (each) $34

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic switch (rectangular and mortised) $99

NOTE:
1. Electric preps come standard with mortar guards on standard profile products, including knock-outs.

14 GAUGE MULTI-USE FRAMES
FOR 1 3/4" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $43 ..... $48
- Per jamb ..... $16 ..... $18
- Per head ..... $11 ..... $12

GALVANIZED G-90 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $69 ..... $80
- Per jamb ..... $26 ..... $30
- Per head ..... $17 ..... $20
- Maximum opening height 9'10"

4" FACE HEAD: Thru 4'0" / Over 4'0"
$44 ..... $59

MARK NUMBERS ..... N/C

EQUAL RABBET ..... N/C

DUTCH FRAME: Non-Labeled / Labeled
$43 ..... $109

COMMUNICATING FRAMES:
- Single openings only $68
- Specify if doors swing from the same or opposite jambs

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS (4", 5 1/2" and 6" high standard)**:**
- Single rabbet 45º only $170
- Double rabbet 45º $170
- Double rabbet 90º $170

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
Welded-in standard anchors (in lieu of loose)		
Base	N/C	N/C
Jambs thru 7'6"	$33	$51
Jambs over 7'6" thru 10'0"	$44	$68
Each additional	$5.50	$8.50
EMA (pierce and dimple only)		
Jambs thru 7'1"	$32	$56
Jambs over 7'1" thru 8'9"	$40	$70
Jambs over 8'9" thru 10'0"	$48	$84
Each additional	$4	$7
EMA (pierce, dimple, weld-in anchors with bolts)		
Jambs thru 7'1"	$176	$328
Jambs over 7'1" thru 8'9"	$220	$410
Jambs over 8'9" thru 10'0"	$264	$492
Each additional	$22	$41

ANCHORS (Standard loose / lock-in):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
Base	$2.30	$4.60
Jambs thru 7'6"	$5.65	$11.30
Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL:
(2" face only, full jamb depth) $160

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted:
  - 14" strap installed $20
    (specify regular, parallel arm or top jamb)
  - Closer sleeve installed $39
- Concealed in head (per template) $218
- ALLE Concealed in head (per template) $198

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Additional ASA (4 7/8" ANSI A115.1-2) $17
- Additional Cylindrical (2 3/4" ANSI A115.3) $17
  (minimum 7" above or below standard strike)
- Double Cylindrical (2 3/4") on 4" centers $34
- Deadlock (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI 115.4) $47
- Surface Bolt reinf. $21
- Exit Devices:
  - Rim reinf. only $20
  - Vertical Rod reinf. only $24
  - Vertical Rod Mortise strike (each) $52
- Roller latch (each) $34

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic switch (rectangular and mortised) $99

NOTE:
1. Electric preps come standard with mortar guards on standard profile products, including knock-outs.

16 AND14 GAUGE DOUBLE EGRESS FRAMES
FOR 1 3/4" DOORS

Standard Construction Options: Per frame

GALVANNEALED A-60 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $43 ..... $48
- Per jamb ..... $16 ..... $18
- Per head ..... $11 ..... $12

GALVANIZED G-90 STEEL: Thru 5 7/8" / Over 5 7/8"
- Complete frame ..... $69 ..... $80
- Per jamb ..... $26 ..... $30
- Per head ..... $17 ..... $20
- Maximum opening height 9'10"

4" FACE HEAD: Over 4'0" $59

MARK NUMBERS ..... N/C

SPECIAL PROFILE FRAMES:
- Refer to Custom Frame Options section for pricing
- Special anchor charges will apply

HOSPITAL SANITARY STOPS ..... not available

ANCHORS (Factory welded or prepped):

	Per frame Thru 9 1/8"	Per frame Over 9 1/8"
Welded-in standard anchors (in lieu of loose)		
Base	N/C	N/C
Jambs thru 7'6"	$33	$51
Jambs over 7'6" thru 10'0"	$44	$68
Each additional	$5.50	$8.50
EMA (pierce and dimple only)		
Jambs thru 7'1"	$32	$56
Jambs over 7'1" thru 8'9"	$40	$70
Jambs over 8'9" thru 10'0"	$48	$84
Each additional	$4	$7
EMA (pierce, dimple, weld-in anchors with bolts)		
Jambs thru 7'1"	$176	$328
Jambs over 7'1" thru 8'9"	$220	$410
Jambs over 8'9" thru 10'0"	$264	$492
Each additional	$22	$41

ANCHORS (Standard loose, wire masonry):
- Deletion of anchors (deduct from standard frame price)

	Per jamb	Per frame
Base	$2.30	$4.60
Jambs thru 7'6"	$5.65	$11.30
Jambs over 7'6"	$6.95	$13.90

12 GAUGE HEAD REINFORCING CHANNEL:
(2" face only, full jamb depth) $160

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and lock ..... N/C

CLOSERS:
- Surface mounted
  - 14" strap installed ..... $20 (specify regular, parallel arm or top jamb)
- Concealed in head (per template) $218
- ALLE Concealed in head (per template) ..... $198 (masonry or non-label only)

HINGES:
- 5" Universal in lieu of 4 1/2" ..... N/C
- Additional hinge prep (4 1/2" or 5") $17
- High frequency prep $18
- Continuous hinge:
  - No reinf. (blank Jamb) ..... N/C
  - Full length reinf. $65

STRIKES:
- Exit Devices:
  - Vertical Rod reinf. only $24
  - Vertical Rod Mortised strike (each) $52

ELECTRICAL PREPS:
- Power transfer units (i.e. EPT2, EPT10, etc.) $108
- Electric hinge prep $39
- Electric strike prep $75
- Door position switch (1/2" to 1" dia.) $37
- Magnetic switch (rectangular and mortised) $99

NOTE:
1. Electric preps come standard with mortar guards. Standard profile guards will have knock-outs included.
2. Electric preps come standard with mortar guards on standard profile products, including knock-outs.





Jamb Detail FE



Head Detail DE and FE



Jamb Detail DE

CUSTOM FRAME OPTIONS

SPECIAL DOOR RABBET

	Single	Double
• Doors over 1 3/4" thru 3" thick	$194	$271

NOTES:
1. Applicable frame series: labeled and non-labeled F, FN and MU (16 and 14 gauge only)
2. Includes special backset strike and regular or heavy weight hinge preps
3. Frame must be welded by factory or others
4. Price is for die mitered frame

Total Door frame prep (Model 100)

	Single	Double
• Prep for single and double frames	$160	$160



NOTES:
1. F-Series frame: labeled (UL only) and non-labeled
2. Prep includes blank hinge and strike jamb, 5/8" x 5/8" steel tube welded to strike jamb

WELDED FRAMES

	Face weld	Complete profile
• Die mitered corner	$88	$158



NOTE:
1. Three (3) sided frames, F, FN, FE, DE, MU, FT and FP-Series
2. FT Series welded is available as Face weld only

LEAD LINED FRAME PREP — **UNIT PRICE PER FRAME**

Applicable frame series: F and MU-Series (labeled and non-labeled)
• Lead clips only (installed in frame throat) $136



NOTES:
1. Lead furnished and installed by others
2. Wire masonry anchors only (labeled & non-labeled)
3. See Steelcraft Tech Data Manual for further details

POCKET FRAME — **UNIT PRICE PER FRAME**

Add to F-Series frame $175



NOTE:
1. Weld-in frame anchors are not included in the above price
2. Available KD only from the factory
3. 1/2" back bends only

ROUGH BUCK FRAME — **UNIT PRICE PER FRAME**

Applicable frame series: F-Series non-labeled only
• 14 gauge rough buck frame $29 / lineal foot
• 14 gauge rough buck end cap (each) $105

NOTES:
1. Rough buck is 14 gauge only. Specify frame as 16 or 14 gauge
2. Add price to F-Series frame price. Refer to the Steelcraft Tech Data Manual for details

EMA "TUBE and STRAP" — **UNIT PRICE PER FRAME**

Pierce, dimple, weld-in anchors with bolts for F, FN, FE, DE, and FP Series:

	Thru 9 1/8"	Over 9 1/8"
• Jambs thru 7'1"	$270	$372
• Jambs over 7'1" thru 8'9"	$275	$465
• Jambs over 8'9" thru 10'0"	$330	$558
• Each additional	$27.50	$46.50



Prices subject to change without notice.

1 3/4" HURRICANE DOORS

FLUSH DOOR PRICING

Door Width	H16	H14	H16-E6
UP TO 6'8" HIGH			
1'6" thru 2'8"	1,038	1,200	1,260
Over 2'8" thru 3'0"	1,092	1,276	1,326
Over 3'0" thru 3'6"	1,199	1,397	-
Over 3'6" thru 4'0"	1,275	1,448	-
UP TO 7'0" HIGH			
1'6" thru 2'8"	1,070	1,265	1,301
Over 2'8" thru 3'0"	1,113	1,330	1,352
Over 3'0" thru 3'6"	1,242	1,448	-
Over 3'6" thru 4'0"	1,307	1,503	-
UP TO 7'2" HIGH			
1'6" thru 2'8"	1,092	1,288	-
Over 2'8" thru 3'0"	1,135	1,352	-
Over 3'0" thru 3'6"	1,254	1,481	-
Over 3'6" thru 4'0"	1,318	1,546	-
UP TO 8'0" HIGH			
1'6" thru 3'0"	1,392	1,686	1,754
Over 3'0" thru 3'6"	1,499	1,763	-
Over 3'6" thru 4'0"	1,553	1,813	-
UP TO 9'0" HIGH			
1'6" thru 3'0"	1,741	2,089	-
Over 3'0" thru 3'6"	1,892	2,203	-
Over 3'6" thru 4'0"	1,941	2,245	-
UP TO 10'0" HIGH			
1'6" thru 3'0"	2,137	2,530	-
Over 3'0" thru 3'6"	2,290	2,644	-
Over 3'6" thru 4'0"	2,339	2,686	-



Typical Elevations

NOTES:

Standard items included with flush and glazed doors:

1. A-60 galvanneal, honeycomb core, prime painted
2. 3/8" undercut
3. Florida Building Code label
4. HE-Series, embossed:
   - A-40 galvannealed
   - Polystyrene core
   - E6 panel design as H16-E6
   - Add $183 list to CE-Series HD2 and HD2A
   - Add $372 list to CE-Series E4TL
5. Approved hardware required
6. Reference CE-Series for available HE16 door widths
7. HE16 8'0" High available in 3'0" width only
8. Opening heights **over 8'0** are not FBC or Miami-Dade approved
9. Please confirm glass availability before placing door order.

Standard Construction Options: Per leaf

PAIRS OF DOORS OR INACTIVE LEAVES (price pairs of doors as 2 single leaves):
- Conventional locking / latching hardware - add per pair $86
  - With Astragal – Includes 4 7/8" ANSI strike prep and Surface Bolt reinf. (flushbolts not available)
  - Without Astragal – Requires two (2) active leaves
- Push pull without astragal ..... not available

GLASS LIGHTS Dezigner Trim for 1/4" or 1/2" thick glass (1/2" standard):
- Standard size V, N3, N4 or N5 non-label only $232
- Standard size G, N, LNL non-label only..... $284
- Full Glass (FG) non-label only $352
- Full Glass (FG2) non-label only $561
- Full Glass (FG3) non-label only $840
- Special size and glass thicknesses....refer to Factory Installed Kits section

LIGHT / LOUVER CUTOUTS ONLY (per cutout):
- Non-labeled cutout only ..... not available
- Labeled and non-labeled cutout with channels $135

NON-STANDARD SIZE WIDTHS and HEIGHTS.. price as next larger size door

CORE MATERIAL OPTIONS:
- Honeycomb ..... standard
- Polystyrene $32
- Vertical steel stiffened (20 gauge stiffeners only)..... $140
- Polyurethane (non-labeled only) $131
- Temperature Rise (TH-Series) $593

GALVANNEALED A-60 STEEL ..... N/C

GALVANIZED G-90 STEEL
(16&14 ga only, Max 3'8"x10'0" door size, No Stiffened Cores) $354

EDGE SEAM CONSTRUCTION OPTION:
- HF (Filled)..... $80
- HW (Welded) H-Series only..... $123

UNDERCUT / FLOOR CLEARANCE (3/8" standard):
- Under 3/8" ..... N/C

TOP CAPS FACTORY INSTALLED:
- Screw-in cap (top) ..... N/C

MARK NUMBERS ..... N/C

DUTCH DOOR ..... not available

LABELED DOORS:	Single	Pair
UL only:		
• Metal Label, 3, 1 1/2, 1 or 3/4 hour	68	136
• 20 minute	42	84
FBC Impact:	included	
FBC E330/Non-impact: For Standard Doors • L14/16/18, SL18, B14/16/18, T14/16/18, CE16/18	12	24
Dade County label	12	24
TDI: Contact Customer Care for Order Form.	see form	

LABELED 3-SIDED FRAMES:	Single	Pair
UL only: Metal Label (includes closer reinf)	37	57
3 hr. in stud partition (closer reinf, stiffeners in head)	48	85
FBC Impact and E330/Non-impact: F12/14/16, MU14/16	17	34
Dade County label	17	34
TDI: Contact Customer Care for Order Form.	see form	

For Frames and E330 door pricing/construction, see standard series price pages.
Refer to FBC/TDI/MD Listings to verify approved options and anchoring.
TDI and E330 assemblies typically require door labels only.

Prices subject to change without notice.

Standard Hardware Options: Per prep

SPECIAL VERTICAL HARDWARE LOCATIONS:

- Hinge and lock ..... N/C

SURFACE MOUNTED CLOSERS / HOLDERS / STOPS:

- Surface Mounted Closers:
  - 20" reinf ..... standard
  - Holder / Stop – full door width reinf. $60
- Approved models - LCN 4000T, 4010, 4010T, 4020, 4020T, 4030, 4030T, 4040XP, 4040XPT, 4050, 4110, 4110T
- Approved models - FALCON SC70 (heavy duty), SC80A, SC60A
- Concealed or semi-concealed (per template) ..... not available
- ALLE Concealed or semi-concealed (per template) ..... not available
- Surface Overhead Holder/Stop ..... specify reinf in available closer preps
- Approved models - GJ 79S (exrtra heavy duty), 70S, 90S, 81S (Confirm that your choice opens 180 deg if needed and as configured).
- Surface Floor & Wall Stops / Holders ..... thru bolted (no prep)
- Approved models - IVES (attached to exterior with steel screws per manufacturers instructions. Interior application must use IVES FS495 thru bolted to the door, at the bottom only) only, min 6" from lock or strike side of door.

PUSH / PULL REINF ..... not available

HINGES:

- 5" Universal in lieu of 4 1/2" Universal ..... N/C
- Approved models: IVES 3CB1, 3CB1HW, 3CB1NRP, 3CB1HWNRP, 3CB1SH, 3CB1HWSH, 5BB1, BB1HW,5BB1NRP, 5BB1HWNRP, 5BB1SH, 5BB1HWSH, 5BB1WT, 5BB1HW WT
- Additional hinge prep $18
- High frequency prep $46
- Continuous hinge (full-edge mounted only) ..... N/C
- Approved models - IVES Alum Geared: 112HD, 112XY, 224HD, 224XY
- Approved models - IVES Steel Pin & Barrel: 600,700,700CS, 705
- Approved models - IVES Electric: TW8, TWP

LOCKS / LATCHES (LEVERS): ..... Prep only unless noted:

- Schlage MultiPoint with installed concealed vertical rods (CVR)
  - 3-point: LM/LMV9300 (rose or escutcheon trim) $2,297
  - IVES SB360 Top and bottom surface bolts for inactive leaf ..... N/C
- Securitech concealed rods (field drilled)
  - 2-point: 52xx-V (vert deadbolt top & bottom) $596
  - 3 point: 53xx (primary and vert deadbolts) $596
  - 3-point: 8L (primary and vert deadbolts) $596
    - Optional HVL HOVE bottom jamb (with 53xx) $89
  - 7L Series with IHD concealed rods and HOVE bottom jamb bolt $784
- FEMA 320 only solution:
  - Securitech ATAR RB-100 Series with Schlage ND lockset. Bottom bolt uses HVL jamb bolt $784
  - Medeco 3-deadbolts with Schlage ND lockset or Falcon T-Series $148

EXIT DEVICES (PANIC BARS): ..... Prep only:

- Von Duprin, panic bar exit with SVR (surface rods, reinf only)
- Von Duprin exit with surface vertical rods (SVR)
  - 2-point: WS98/9927 Fire rated only with pair ..... N/C
  - 3-point: WS98/9957 Fire rated only with single ..... N/C
- Securitech 3-point surface rods (field drilled)
  - Securitech 8T Series $689
  - Optional HVL HOVE bottom jamb bolt $89
- Securitech 3-point IHD concealed rods (field drilled)
  - Securitech 7T Series with IHD concealed rods and HOVE bottom jamb bolt (HVL) $784

Standard Hardware Options: Per prep

DOUBLE COMBO LOCKS: ..... not available

DEADLOCKS: ..... not available

STRIKES: ..... not available

ROLLER LATCH:

- Lock edge: ..... not available
- Top edge: ..... not available

Electrical Preps (Reviewed by engineering / not available in OEW):

- Power transfer units (i.e. EPT2, EPT10, etc) $103
- Approved models - Von Duprin EPT2, EPT1
- Electric hinge prep $18
- Auto Operators ..... N/C (specify reinf in available closer preps)
- Approved models - LCN 9953 for pairs, 9542 for singles (must be mounted to exterior/storm side of storm shelter or safe room). MUST order 5" heavy weight hinges and high frequency hinge reinforcements.
- Electric door closer ..... N/C (specify reinf in available closer preps)
- Approved models - LCN Sentronic 4040SE, 4310ME (may be mounted on interior or exterior side of storm shelter or safe room. 4040SE exterior side only.)
- Magnetic Hold open ..... specify reinf in available closer preps
- Approved models - LCN SEM 7800 (extenders not permitted on inswing applications. Locate away from hardware/rod locations to avoid interference).
- Door position switch (round 1/2" to 1" dia) $18
- Approved models - Schlage 679-05, Sentrol 1078/1076 (mortised into the hinge edge of the door).
- Magnetic switch (rectangular and mortised) $91
- Approved models - Schlage 7764, Sentrol 2757, (mortised into the hinge edge of the door).
- Wiring raceway (with conduit) $143

KICK PLATES: ..... no preps

- Approved models - IVES 8400 (metal or plastic), 8402 (metal) (must be secured with steel screws, 48" max height bottom of door only).

THRESHOLDS & GASKETING: ..... no preps

- Approved models - ZERO (must not impede or affect the function of the opening or latching hardware)

NOTES:

1. Only approved models are allowed; for more information on approvals see Tech Data, tornado section.
2. WS available as EO (exit only); NL (night latch) not available.
3. Electronic options available with Allegion WS device and Securitech 7L, 7T, and 8T series.

Prices subject to change without notice.

FLUSH DOORS: L, T and H-SERIES

Type	Door Width	Factory Stained	Prime Painted
Single Door	Up to 3'4"	695	96
	Over 3'4" up to 4'0"	739	116
Double Door	Up to 3'4"	1,390	192
	Over 3'4" up to 4'0"	1,478	234
Dutch door	Up to 4'0"	1,392	190
Transom panels	Up to 8'0" x 4'0" (1 3/4")	739	116

EMBOSSED PANEL: CE-18 and CE-16 SERIES (E6, HD2 and HD2A designs only)

Type	Door Width	Factory Stained	Prime Painted
Single Door	Up to 3'4"	844	96
	Over 3'4" up to 4'0"	885	116
Double Door	Up to 3'4"	1,688	192
	Over 3'4" up to 4'0"	1,770	234

NOTES:

1. Max. width for HD2A design is 3'4"

GLASS LIGHT OPTIONS

L-Series V, N3, N5, N4, NL, G, FG, FG2 and FG3:

Door Width	Factory Stained	Prime Painted
Single doors:		
Up to 3'4" wide	801	127
Over 3'4" up to 4'0" wide	844	158
Double doors:		
Up to 3'4" wide	1,603	253
Over 3'4" up to 4'0" wide	1,687	315

CE-Series E4TL:

Door Width	Factory Stained	Prime Painted
Single doors:		
Up to 3'4" wide	949	127
Over 3'4" up to 4'0" wide	991	158
Double doors:		
Up to 3'4" wide	1,897	253
Over 3'4" up to 4'0" wide	1,982	315

OTHER OPTIONS:	Factory Stained	Prime Only
• Factory stained astragal (not EP4 material)	N/C	N/C
• Custom color set up charge - add per custom color	$170	not available
• Prime stained steel dutch door shelf	not available	$118

NOTES:

Factory Stained:

1. Not available on doors with Seam Filled Edges
2. L-Series doors available in 18 and 16 gauge, label or non-label with honeycomb, polystyrene or polyurethane core
3. T-Series doors available in 18 and 16 gauge with temperature rise core
4. CE-Series doors, available in 18 and 16 gauge, label or non-label with polystyrene core
5. H-16 Series doors, label or non-label with honeycomb, polystyrene, polyurethane or temperature rise core
6. Add prices shown above to the list price of a galvannealed door.
7. Maximum height 10'0" 18 and 16 gauge
8. For extra quart of stain please specify on order and list price is $100

Prime Painted (for field staining)**:**

1. Not available on doors with Seam Filled Edges
2. Prime painted stainable doors are ready for staining and top coating labor and material by others
3. Add prices shown above to the list price of a galvannealed door

Prices subject to change without notice.

PIVOTS / PUSH / PULLS

HARDWARE DEVICE	PREP PRICING DOOR	PREP PRICING FRAME	Illustration
PIVOTS			
· **Single acting**:			
· Mortised preps:			
· Top and bottom prep in door, top prep only in frame	363	80	
· Top and bottom prep in door and frame	363	187	
· Intermediate prep in door and frame ..... per prep	139	65	
· Surface mounted:			
· Top, intermediate or bottom ..... per reinf.	54	54	
· **Double acting:**			
· Top and bottom prep in door. Includes nosing on lock or hinge edge	353	75	
· Top prep only in cased open frame			
· **Reinforcing pivot** (for use in conjunction with standard 4 1/2" or 5" hinges)**:**			
· Reinf. only for top pivot in face of door and frame	128	68	
· **Pocket pivots** (see notes below)**:**			
· F-Series and DE-Series double egress ..... 1 1/2 pair	456	**384** per jamb	
2 pair	608	**512** per jamb	
· FE-Series double egress ..... 1 1/2 pair	456	**384** per jamb	
2 pair	608	**512** per jamb	
Notes: 1. Most pocket pivot preps require a frame face larger than 2". 2. Frames must be welded. Add applicable welding charges. 3. FE-Series double egress frames require special frame profile and special anchors charges.			

HARDWARE DEVICE	PREP PRICING DOOR	PREP PRICING FRAME	Illustration
PUSH / PULLS			
· **Flush pull** - at any one location			
· Cutout and reinf.	77	not applicable	
· **Push / pulls**			
· Plate reinf.	29	not applicable	
· Bar reinf.	47	not applicable	
· **Light weight impact door reinf.** (i.e., Eliason Easy Swing)	not applicable	84	

Prices subject to change without notice.

TABLE OF CONTENTS

LINEAL INCH STICK PRICING 82
F16 and FT16 Series 82
F14 and FT14-Series 83
Cut and notch options 84
Cut, notch and weld options 85
Options (construction and hardware) 86

STICK LENGTHS (TSF PARTS) 87
TSF Nomenclature 87
F16 and FN16-Series 89
F14 and FN14-Series 91
Options (construction and hardware) 93

TRANSOM FRAMES WITHOUT TRANSOM BARS 94
F16 and FN16-Series 94
F14 and FN14-Series 95
DW16 and MU16-Series 96

BORROWED LIGHT FRAMES 97
F16-Series 97
F14-Series 98
MU/DW16-Series 99
MU/DW14-Series 100

LAMINATED TRANSOM PANELS 101
1 3/4" L-Series, fixed or removable 101

Prices subject to change without notice.

LINEAL INCH STICK PRICING
CONSTRUCTION AND HARDWARE

STANDARD CONSTRUCTION OPTIONS — Add per inch

SPECIAL PROFILE (open or closed section)**:**
- Special backbends
  3/8" minimum thru 1 7/8" maximum $0.57
- MU and DW-Series $0.14
- 3/4" thru 1 1/4" high stops (5/8" standard) $0.57
- Center glazed, open or closed section $0.94
- Special angle corner post $0.57

MARK NUMBERS: N/C

REMOVABLE MULLION PREP $69

TRANSOM PANEL PREP $24
- Transom panels (refer Laminated Transom Panel page)

Per frame

UL LABELED FRAME $17
- Applies to factory welded frames only
- Factory labeled elevations must be shipped welded
- Does not include closer reinf.

12 GAUGE HEAD REINFORCING CHANNEL:
- 2" face only - full jamb depth $160

LOOSE ANCHORS:
- Anchors must be ordered from the Parts Section

WELD-IN ANCHORS:

	Thru 9 1/8"	Over 9 1/8"
• Welded-in standard anchors:		
• Base	N/C	N/C
• Per jamb anchor	$5.50	$8.50
• EMA (pierce and dimple only)		
• Per prep	$4	$7
• EMA (pierce, dimple, weld-in anchors with bolts)		
• Per EMA anchor	$21	$42

HOSPITAL SANITARY STOPS (4", 5 1/2" and 6" high standard)**:**

	Per prep
• Open sections:	
• Double rabbet 45º	$85
• Double rabbet 90º	$85
• Closed sections:	
• Double rabbet 45º	$92
• Double rabbet 90º	$92

STANDARD HARDWARE OPTIONS — Add per stick

SPECIAL VERTICAL HARDWARE LOCATIONS:
- Hinge and strike ..... N/C

HINGES:
- 5" universal in lieu of 4 1/2" ..... N/C
- High frequency prep (per hinge prep) $18
- Heavyweight hinge prep (per hinge prep) $18

STRIKES:
- CYL strike in lieu of ASA ..... N/C
- Deadlock strike (non-lip) $17
- Flushbolts:
  - Steelcraft reversible $47
  - Standard (ANSI A115.4) $47
- Rim exit device reinf. $20
- Vertical Rod reinf. $24
- Vertical Rod Mortise strike (each) $52

CLOSERS:
- Surface strap (14", 14 gauge) $20
  (Specify regular parallel arm or top jamb)

NOTES:
1. Construction and hardware options shown on this page are applicable to linear inch pricing pages
2. 12 gauge perimeter, 2" to 4" face, multiply 14 gauge lineal price by 1.6
   - Closed section components are supplied as 14ga with matching profile
   - All frames have 3/4" high stops
   - Jamb depths 5" and under are unequal rabbet profile. All other jamb depths are equal rabbet profile.

Prices subject to change without notice.

STICK LENGTHS
(TSF PARTS) CONSTRUCTION AND HARDWARE

CONSTRUCTION OPTIONS: Add per stick

SPECIAL PROFILE OPEN, SILL AND FILLER PLATE SECTIONS:

- Special face dimension:
  - 1" thru 4" face $37
  - Over 4" thru 8" $52
  - Over 8" thru 18" $64
- Special backbends:
  - 3/8" min thru 1 7/8" max $30
  - MU-Series $18
- 3/4" thru 1 1/4" high stops $30

SPECIAL PROFILE MULLIONS:

NOTE: Special profile mullions will not be internally reinf.

- Special face dimensions
  - 1" thru 4" face (2" & TSF 99 - 4" are standard) $37
  - Over 4" thru 8" $52
  - Over 8" thru 18" $64
- Single rabbet $30
  - 3/4" thru 1 1/4" high stops $30

REMOVABLE MULLION PREP $69

MARK NUMBERS ..... N/C

HARDWARE OPTIONS: Add per stick

SPECIAL VERTICAL HARDWARE LOCATIONS:

- Hinge and strike ..... N/C

HINGES:

- Additional hinge prep (4 1/2" or 5") $17
- 5" universal in lieu of 4 1/2" ..... N/C
- High frequency prep (per hinge prep) $18

STRIKES:

- Additional 4 7/8" ASA strike $17
- 2 3/4" CYL strike in lieu of 4 7/8" ASA ..... N/C
- Additional CYL strike $17
- Deadlock strike (non-lip) $17
- Rim exit device reinf. $20

NOTES:

1. Construction and hardware options shown on this page are applicable to Stick Lengths (TSF Parts) pricing shown in this section
2. Special profile open, sill and filler plate pricing does not apply to standard sizes

Prices subject to change without notice.

4-SIDED, K/D BORROWED LIGHT FRAME

Description		4 1/2"- 5 7/8"		6"- 7 7/8"		8"- 9"	
Glass Opening Width	Glass Opening Heigth	CRS	GALV	CRS	GALV	CRS	GALV
SINGLE FRAMES							
2'0" thru 3'0"	2'0" thru 2'6"	282	308	294	311	337	354
	2'8" thru 3'4"	309	338	322	342	370	390
	3'6" thru 4'0"	335	368	350	372	404	426
	4'8" thru 5'4"	379	418	396	423	461	487
	5'8" thru 6'10"	422	468	443	473	517	547
3'2" thru 4'0"	2'0" thru 2'6"	320	351	334	355	385	406
	2'8" thru 3'4"	347	381	362	385	419	443
	3'6" thru 4'0"	373	411	390	416	453	479
	4'8" thru 5'4"	417	461	437	466	509	539
	5'8" thru 6'10"	460	511	483	517	566	599
4'0" thru 6'0"	2'0" thru 2'6"	370	408	387	412	449	475
	2'8" thru 3'4"	396	438	415	443	483	511
	3'6" thru 4'0"	422	468	443	473	517	547
	4'8" thru 5'4"	466	517	489	524	573	608
	5'8" thru 6'10"	510	567	536	574	630	668
6'2" thru 8'0"	2'0" thru 2'6"	440	488	461	493	540	571
	2'8" thru 3'4"	466	517	489	524	573	608
	3'6" thru 4'0"	493	547	517	554	607	644
	4'8" thru 5'4"	536	597	564	604	663	704
	5'8" thru 6'10"	580	647	610	655	720	764

NOTES:

1. Prices above include loose glazing beads, cut to length, with self-drilling attaching screws
2. Maximum sizes as listed
3. Minimum size 1'6" x 1'6"
4. DW frames have compression anchors in head and sill only. MU-Series frames are the same prices as shown.
5. Jambs are mitered with corner tabs
6. Prices for rabbeted and cased open
7. Cased open borrowed light does not include glazing bead
8. For borrowed lights other than sizes shown, price as lineal inch
9. G-90 galvanize - multiply "GALV" price by 1.25 (maximum height 120")



Prices subject to change without notice.

4-SIDED, K/D BORROWED LIGHT FRAME

Description		4 1/2"- 5 7/8"		6"- 7 7/8"		8"- 9"	
Glass Opening Width	Glass Opening Heigth	CRS	GALV	CRS	GALV	CRS	GALV
SINGLE FRAMES							
2'0" thru 3'0"	2'0" thru 2'6"	307	336	332	351	382	403
	2'8" thru 3'4"	336	369	365	387	423	446
	3'6" thru 4'0"	366	403	398	422	463	489
	4'8" thru 5'4"	415	459	453	482	530	561
	5'8" thru 6'10"	465	515	509	542	597	632
3'2" thru 4'0"	2'0" thru 2'6"	349	384	380	403	440	465
	2'8" thru 3'4"	379	418	413	438	481	508
	3'6" thru 4'0"	409	452	446	474	521	551
	4'8" thru 5'4"	458	508	501	534	588	623
	5'8" thru 6'10"	508	564	557	593	655	694
4'0" thru 6'0"	2'0" thru 2'6"	406	448	442	470	516	546
	2'8" thru 3'4"	435	481	476	506	556	589
	3'6" thru 4'0"	465	515	509	542	597	632
	4'8" thru 5'4"	514	571	564	601	663	704
	5'8" thru 6'10"	564	627	619	661	730	776
6'2" thru 8'0"	2'0" thru 2'6"	485	538	531	566	623	661
	2'8" thru 3'4"	514	571	564	601	663	704
	3'6" thru 4'0"	544	605	597	637	704	747
	4'8" thru 5'4"	593	661	652	697	771	819
	5'8" thru 6'10"	643	717	708	756	837	890

NOTES:

1. Prices above include loose glazing beads, cut to length, with self-drilling attaching screws
2. Maximum sizes as listed
3. Minimum size 1'6 " x 1'6 "
4. DW frames have compression anchors in head and sill only. MU-Series frames are the same prices as shown.
5. Jambs are mitered with corner tabs
6. Prices for rabbeted and cased open
7. Cased open borrowed light does not include glazing bead
8. For borrowed lights other than sizes shown, price as lineal inch
9. G-90 galvanize - multiply "GALV" price by 1.25 (maximum height 120")



Prices subject to change without notice.

BASE ANCHORS

Item Description	Part Number	Package Number	Package Quantity	Package Price	Illustration
ADJUSTABLE BASE ANCHOR					
For use on F-Series frames					
4 3/4" JD	not available	1067	100	**216**	
5 3/4", 6 3/4" and 7 3/4" JD	not available	1068			
5 3/4", 6 3/4" and 7 3/4" JD	not available	1020 Bulk 55 gallon drum	**800**	**1,500**	
8 3/4" JD	not available	1069	**50**	**170**	

BASE ANCHORS

Item Description	Part Number	Package Number	Package Quantity	Package Price	Illustration
WOOD STUD BASE ANCHOR					
For use on F-Series double rabbeted frames					
4 3/4" JD	not available	1075	100	**203**	
5 3/4" JD	not available	1076			
6 3/4" JD	not available	1077	25	**85**	
7 3/4" JD	not available	2892			
8 3/4" JD	not available	1078			
BASE ANCHOR ATTACHING STRAP					
For use on F-Series double rabbeted frames					
4 3/4" JD	not available	1115	50	**60**	
5 3/4" JD	not available	1116			
6 3/4" JD	not available	1117			
7 3/4" JD	not available	2874			
8 3/4" JD	not available	1118			

BASE ANCHORS (WELD-IN)

Item Description	Part Number	Package Number	Package Quantity	Package Price	Illustration
BASE ANCHOR					
For use on F and MU-Series double rabbeted frames					
43/4" JD	not available	5520	100	**230**	
53/4" JD	not available	5521			
63/4" JD	not available	5522			
73/4" JD	not available	5523			
83/4" JD	not available	5524			
For use on F and FN-Series cased open frames					
F-Series all jamb depths	not available	2077	50	**110**	
FN-Series all jamb depths	not available	5526			

Prices subject to change without notice.

NOTE: Shaded items are non-stock

DOOR SHELVES AND HARDWARE FILLER PLATES

DUTCH DOOR SHELVES

Item Description	Part Number	Package Number	Package Quantity	Package Price	Illustration
HALF SHELF - 7" WIDE					
For use on L and B-Series doors					
2'0"	not available	1332	1	**284**	
2'4"	not available	1333			
2'6"	not available	1334			
2'8"	not available	1335			
2'10"	not available	4109			
3'0"	not available	1336			
3'4"	not available	1337			
3'6"	not available	1338			
3'8"	not available	1339			
3'10"	not available	1340			
4'0"	not available	1341			
FULL SHELF - 12" WIDE					
For use on L and B-Series doors					
2'0"	not available	4110	1	**483**	
2'4"	not available	4111			
2'6"	not available	4112			
2'8"	not available	4113			
2'10"	not available	4114			
3'0"	not available	4115			
3'4"	not available	4116			
3'6"	not available	4117			
3'8"	not available	4118			
3'10"	not available	4119			
4'0"	not available	4120			

FILLER PLATES

Item Description	Part Number	Package Number	Package Quantity	Package Price	Illustration
HINGE FILLER PLATES, 12 GAUGE, PRIME PAINTED					
For use with L, B, CE, A14, and T Series doors.					
4½" regular weight	not available	1401	12	**108**	
LOCK EDGE FILLER PLATES					
161 edge (plastic) 1⅛" wide x 2¼" long	not available	3293	12	**95**	
86 edge 1⅛" wide x 8" long x ⅛" thick	not available	1404	6	**63**	
86 edge slotted filler allows for attachment of ASA strike	not available	2198		**130**	
LOCK FACE FILLER PLATES					
161 filler assembly (2 pieces)	not available	1405	2 Sets	**44**	
161 punch-out plate	not available	1422	100	**200**	
86 punch-out plate	not available	1424			
SQUARE EDGE HINGE FILLER PLATE, 20 GAUGE, PRIME PAINTED					
For use on SL and SZ-Series doors					
4½" standard weight	not available	5531	100	**162**	

NOTES:

1. Dutch door shelves are prime painted. Mounting brackets and screws are included.

Prices subject to change without notice.

NOTE: Shaded items are non-stock

F16-SERIES JAMB COMPONENTS

				5³/₄"		7³/₄"		8¹/₄"		8³/₄"	
Height	**Description**			**Part #**	**List $**	**Part #**	**List $**	**Part #**	**List $**	**Part #**	**List $**
JAMB COMPONENTS											
6'8"	SJ	R	ASA	292*	**88**	713	**94**	7460	**104**	384	**104**
	SJ	R	BLK	7414	**88**						
	SJ	L	ASA	295*	**88**	715	**94**	7461	**104**	387	**104**
	SJ	L	BLK	7415	**88**						
	HJ	R	WH	294*	**104**	714	**108**	7462	**119**	386	**119**
	HJ	L	WH	297*	**104**	716	**108**	7463	**119**	389	**119**
7'0"	SJ	R	ASA	302*	**92**	717*	**104**	802*	**110**	390*	**110**
	SJ	R	BLK	303*	**92**						
	SJ	L	ASA	305*	**92**	719*	**104**	806*	**110**	393*	**110**
	SJ	L	BLK	306*	**92**						
	EJ	R†		7416	**92**						
	EJ	L†		7417	**92**						
	HJ	R	Less WH	760*	**107**						
	HJ	L	Less WH	761*	**107**						
	HJ	R	WH	304*	**107**	718*	**114**	803*	**125**	392*	**125**
	HJ	L	WH	307*	**107**	720*	**114**	807*	**125**	395*	**125**
7'2"	SJ	R	ASA	312	**102**						
	SJ	L	ASA	315	**102**						
	HJ	R	WH	314	**115**						
	HJ	L	WH	317	**115**						
8'0"	SJ	R	ASA	318*	**113**						
	SJ	R	BLK	300	**113**						
	SJ	L	ASA	320*	**113**						
	SJ	L	BLK	301	**113**						
	HJ	R	WH	319*	**138**						
	HJ	L	WH	321*	**138**						

F16-SERIES HEAD COMPONENTS

			5³/₄"		7³/₄"		8¹/₄"		8³/₄"	
Width	**Description**		**Part #**	**List $**	**Part #**	**List $**	**Part #**	**List $**	**Part #**	**List $**
HEAD COMPONENTS										
2'0"	HD		7420	**41**						
2'4"	HD		7421	**41**						
2'6"	HD		324*	**41**						
2'8"	HD		325*	**41**						
3'0"	HD		326*	**41**	706*	**49**	808*	**59**	400*	**59**
	HD	4" Face	334*	**85**					7479*	**103**
3'4"	HD		327	**56**						
3'6"	HD		328	**56**						
3'8"	HD		329	**56**						
4'0"	HD		330*	**56**			7471	**72**		
	HD	4" Face	7428	**100**						
5'0"	HD	D	331	**85**						
6'0"	HD	D	333*	**93**			7473	**107**	407	**107**
	HD	D FB Strike	349*	**140**						
	HD	D 4" Face	335	**152**						
8'0"	HD	D	336	**111**						

NOTES:

1. † End Jambs (EJ R/L) are handed the same as Blank Hinge Jambs (HJ R/L BLK), and will be invoiced as Blank Strike Jambs.
2. * Available as KWIK-PAK.

Prices subject to change without notice.

F16-SERIES GALVANNEALED JAMB COMPONENTS

				5³/₄" GALV		8³/₄" GALV	
Height	Description			Part #	List $	Part #	List $
JAMB COMPONENTS							
6'8"	SJ	R	ASA	685	**104**		
	SJ	L	ASA	687	**104**		
	HJ	R	WH	686	**120**		
	HJ	L	WH	688	**120**		
7'0"	SJ	R	ASA	681*	**108**	7527	**128**
	SJ	R	BLK	7510*	**108**		
	SJ	L	ASA	682*	**108**	7529	**128**
	SJ	L	BLK	7511*	**108**		
	HJ	R	WH	683*	**123**	7531	**143**
	HJ	L	WH	684*	**123**	7532	**143**
8'0"	SJ	R	ASA	7514	**129**		
	SJ	L	ASA	7515	**129**		
	HJ	R	WH	7516	**154**		
	HJ	L	WH	7517	**154**		

F16-SERIES GALVANNEALED HEAD COMPONENTS

		5³/₄" GALV		8³/₄" GALV	
Width	Description	Part #	List $	Part #	List $
HEAD COMPONENTS					
3'0"	HD	671*	**52**		
	HD 4" Face	340*	**96**	7520	**115**
4'0"	HD	7501	**67**		
	HD 4" Face	344	**111**		
6'0"	HD D	676	**104**		
	HD D 4" Face	347	**163**		

F14-SERIES GALVANNEALED JAMB AND HEAD COMPONENTS

				5³/₄" GALV	
Height	Description			Part #	List $
JAMB COMPONENTS					
7'0"	SJ	R	ASA	904*	**135**
	SJ	L	ASA	906*	**135**
	HJ	R	WH	905*	**143**
	HJ	L	WH	907*	**143**
				5³/₄" GALV	
Width	Description			Part #	List $
HEAD COMPONENTS					
3'0"	HD			908*	**75**
	HD	4" Face		7533*	**119**
6'0"	HD	D 4" Face		7536	**178**

F14-SERIES GALVANNEALED KWIK-PAKS

				5³/₄" GALV	
Height	Description			Part #	List $
JAMBS - 2" FACE (55 PIECES PER PAK)					
7'0"	SJ	R	ASA	904	**6,429**
	SJ	L	ASA	906	**6,429**
	HJ	R	WH	905	**6,834**
	HJ	L	WH	907	**6,834**
				5³/₄" GALV	
Width	Description			Part #	List $
HEADS - 2" FACE (55 PIECES PER PAK)					
3'0"	HD			908	**3,795**
HEADS - 4" FACE (48 PIECES PER PAK)					
3'0"	HD	4" Face		7533	**5,426**

NOTES:

1. Stock frames listed as Galv are A-60 material.
2. ✱ Available as KWIK-PAK.

Prices subject to change without notice.

L18-SERIES FLUSH DOORS - BEVELED EDGES AND HANDED

Width	Description				Part #	Unit Door $	10 PAK $	20 PAK $
6'8" HIGH								
3'0"	R/LHR	161	C	WH	066	725	7,033	13,775
	L/RHR	161	C	WH	067			
	R/LHR	61L	C	WH	036			
	L/RHR	61L	C	WH	037			
	R/LHR	86ED	C	WH	076			
	L/RHR	86ED	C	WH	077			
	R/LHR	RPD	C	WH	7602	765	7,421	14,535
	L/RHR	RPD	C	WH	7603			
	R/LHR	161	C	POLYS GALV	061	842	8,167	15,998
	L/RHR	161	C	POLYS GALV	062			
7'0" HIGH								
3'0"	R/LHR	161		WH	058	719	6,974	13,661
	L/RHR	161		WH	059			
	R/LHR	161	C	WH	068	749	7,265	14,231
	L/RHR	161	C	WH	069			
	R/LHR	61L	C	WH	038	749	7,265	14,231
	L/RHR	61L	C	WH	039			
	R/LHR	86ED	C	WH	082			
	L/RHR	86ED	C	WH	083			
	BLANK x BLANK		C (Top and Bottom)		070	779	not available	
	R/LHR	161	C	POLYS GALV	090	866	8,400	16,454
	L/RHR	161	C	POLYS GALV	091			
	R/LHR	86ED	C	POLYS GALV	084			
	L/RHR	86ED	C	POLYS GALV	085			
	R/LHR	INACTIVE	C ASA and FB	WH	7619	835	8,100	15,865
	L/RHR	INACTIVE	C ASA and FB	WH	7620			
	R/LHR	RPD	C	WH	088	789	7,653	14,991
	L/RHR	RPD	C	WH	089			
3'6"	R/LHR	161	C	WH	064	900	8,730	17,100
	L/RHR	161	C	WH	065			
4'0"	R/LHR	161	C	WH	156	990	9,603	18,810
	L/RHR	161	C	WH	157			
	R/LHR	86ED	C	WH	7630			
	L/RHR	86ED	C	WH	7631			

SL18-SERIES FLUSH DOORS - SQUARE EDGES AND NON-HANDED

Width	Description				Part #	Unit Door $	10 PAK $	20 PAK $
6'8" HIGH								
3'0"	R/L	161	C	WH	87150	725	7,033	not available
7'0" HIGH								
3'0"	R/L	161	C	WH	87300	737	7,149	not available
	R/L	86ED	C	WH	87310	737	7,149	

NOTES:

1. Inactive doors require astragal. Order astragals from Parts Section of this price book.
2. The nomenclature designation "C" indicates closer reinf.
3. 4'0" 20 PAK doors are shipped as two (2) 10 PAK skids.

Prices subject to change without notice.

WEST COAST SERVICE CENTER
AVAILABLE MODIFICATIONS TO STOCK DOORS ONLY

DOOR MOD PRICING See page 124 and 125 for stock frames available for modifications

Item		Each $	Available on L	SL	SZ	Available Options & Notes
STANDARD CONSTRUCTION OPTIONS						
Glass Lights/ louvers (price per cutout)	Glass light/louver cutout only	94	X	X	X	GS, NS, VS for lights and louvers. No trim available on mods. Specify DCS (door cutout size) and location.
	Glass light/louver cutout with *channels	209	X	X	X	
	Full glass light cutout with *channels	270	X	X	X	FGS lights. No trim available on mods. Specify DCS and location.
	Door Viewer	27	X	X	X	
Door Edges	Filled Edge Seam	145	X	X		
Top or Bottom Caps	Screw-in	49	X	X	X	
	Sealed	174	X	X	X	
*Label (per leaf)	Remove and Install new metal label	53	X	X	X	Metal: UL 3, 1-1/2, 1, 3/4 hr, 20 min; ITS/WHI 3, 1-1/2, 1, 3/4 hr
STANDARD HARDWARE OPTIONS						
Locks - Primary	86ED lock function holes	72	X	X	X	Schlage L9010, L9040, L9050, L9070/L9080, L9453 only Falcon MA101, MA301, MA581, MA541, MA561, and MA371
**Locks - Secondary	Deadlock prep	76	X	X		161-48 only
Strikes - Secondary	Deadlock strike prep at 48" CL from frame bottom	72	X	X		Cat. #535: NA1, NA3 (w/ astragal) and NW1, NW3 (w/o astragal)
***Exit devices	Mortise or RIM exit device function holes	72	X	X	X	
Astragal Prep (price includes astragal)	Attached Z-astragal with ASA & FB	273	X	X	X	only available 12" from top and bottom to center FB
	Attached Flat bar astragal	183	X	X	X	Includes notching astragal for strike lip clearance
	Inactive leaf - Add ASA prep to stock 86ed	83	X	X	X	ANSI A115.1 & A115.2; CL 40-5/16" from frame bottom
	Inactive leaf - Add FB prep (top & bottom) to 86ed	184	X	X	X	
Electric hardware preps	EPT door prep	121	X	X		EPT2, EPT10 only. No raceways provided through mod stock.
	Electric hinge	27	X	X		Reinforcement supports all manufacturers/products

NOTES:

1. * Refer to TD Manual for all labeled approvals. Standard 1.5 hr WHI labels must be replaced if requirements change based on modifications.
2. ** One additional lock allowed per opening.
3. *** Exit devices should mod an RPD door as the active leaf and an 86ED through bolted, if an inactive ASA strike is needed.
4. Strike prep available as mod to 86ED stock doors for inactive leaf.
5. Use RPD door for push/pull (blank lock side).
6. Wide inactive not available for modified stock.
7. Surface flushbolt reinforcement not available.

Prices subject to change without notice.

F16-SERIES JAMB COMPONENTS

Height	Description			5-3/4"		6-1/4"		7-3/4"		8-1/4"	
				Part #	List $	Part #	List $	Part #	List $	Part #	List $
JAMB COMPONENTS											
6'8"	SJ	R	ASA	292	**88**	19044	**94**	713	**94**	7460	**104**
	SJ	R	RPD	19451	**108**	19547	**114**	19467	**114**	19485	**124**
	SJ	R	BLK	7414	**88**						
	SJ	L	ASA	295	**88**	19045	**94**	715	**94**	7461	**104**
	SJ	L	RPD	19452	**108**	19458	**114**	19469	**114**	19487	**124**
	SJ	L	BLK	7415	**88**						
	HJ	R	WH	294	**104**	19046	**108**	714	**108**	7462	**119**
	HJ	L	WH	297	**104**	19047	**108**	716	**108**	7463	**119**
7'0"	SJ	R	ASA	302*	**92**	19048	**104**	717	**104**	802	**110**
	SJ	R	RPD	19453	**112**	19459	**124**	19473	**124**	19492	**130**
	SJ	R	BLK	303	**92**						
	SJ	L	ASA	305*	**92**	19049	**104**	719	**104**	806	**110**
	SJ	L	RPD	19454	**112**	19460	**124**	19475	**124**	19494	**130**
	SJ	L	BLK	306	**92**						
	EJ	R†						19685	**104**		
	EJ	L†						19686	**104**		
	HJ	R	WH	304*	**107**	19052	**114**	718	**114**	803	**125**
	HJ	L	WH	307*	**107**	19053	**114**	720	**114**	807	**125**
8'0"	SJ	R	ASA	318	**113**	19463	**118**	19480	**118**	19499	**130**
	SJ	R	RPD	19455	**133**	19464	**138**	19481	**138**	19700	**150**
	SJ	L	ASA	320	**113**	19465	**118**	19482	**118**	19701	**130**
	SJ	L	RPD	19456	**133**	19466	**138**	19483	**138**	19702	**150**
	HJ	R	WH	319	**138**	19461	**142**	19478	**142**	19497	**150**
	HJ	L	WH	321	**138**	19462	**142**	19479	**142**	19498	**150**

F16-SERIES HEAD COMPONENTS

Width	Description			5-3/4"		6-1/4"		7-3/4"		8-1/4"	
				Part #	List $	Part #	List $	Part #	List $	Part #	List $
HEAD COMPONENTS											
2'6"	HD			324	**41**	19706	**49**	19713	**49**	19721	**59**
2'8"	HD			325	**41**	19707	**49**	19714	**49**	19722	**59**
2'10"	HD			19703	**41**	19708	**49**	19715	**49**	19723	**59**
3'0"	HD			326*	**41**	19062	**49**	706	**49**	808	**59**
	HD	4" face		334	**85**						
3'6"	HD			328	**56**	19709	**66**	19717	**66**	19725	**72**
4'0"	HD			330	**56**	19710	**66**	19718	**66**	7471	**72**
5'0"	HD	D		331	**85**	19711	**90**	19719	**90**	19727	**98**
6'0"	HD	D		333	**93**	19586	**99**	19587	**99**	7473	**107**
8'0"	HD	D		336	**111**	19712	**119**	19720	**119**	19729	**133**

F16-SERIES JAMB AND HEAD KWIK-PAKS

Height	Description			5-3/4"	
				Part #	List $
JAMBS - 2" FACE (55 PIECES PER PAK)					
7'0"	SJ	R	ASA	302	**4,253**
	SJ	L	ASA	305	**4,253**
	HJ	R	WH	304	**5,012**
	HJ	L	WH	307	**5,012**
Width	**Description**			**5-3/4"**	
				Part #	**List $**
HEADS - 2" FACE (55 PIECES PER PAK)					
3'0"	HD			326	**2,075**

NOTES:

1. † End Jambs (EJ R/L) handed same as Blank Hinge Jambs (HJ R/L BLK), and will be invoiced as Blank Strike Jambs.
2. * Available as KWIK-PAK.
3. Stock uses Steelcraft hinge and lock locations.

Prices subject to change without notice.

SL18-SERIES FLUSH DOORS - SQUARE EDGES AND NON-HANDED

Width	Description					Part #	Unit Door $
6'8" HIGH							
3'0"	R/L	RPD	C	WH	HONEYCOMB / CRS	19682	765
	R/L	86ED	C	WH	HONEYCOMB / CRS	19683	725
	R/L	161	C	WH	HONEYCOMB / CRS	87150	725
7'0" HIGH							
3'0"	R/L	RPD	C	WH	HONEYCOMB / CRS	19684	777
	R/L	86ED	C	WH	HONEYCOMB / CRS	87310	737
	R/L	161	C	WH	HONEYCOMB / CRS	87300	737

SZ18-SERIES FLUSH DOORS - SQUARE EDGES AND NON-HANDED

Width	Description					Part #	Unit Door $	20 PAK $
6'8" HIGH								
3'0"	R/L	RPD	C	WH	POLYS / GALV	SZ002	530	10,070
	R/L	86ED	C	WH	POLYS / GALV	SZ003	490	9,310
	R/L	161	C	WH	POLYS / GALV	SZ004	490	9,310
	R/L	RPD	C	WH	HONEYCOMB / CRS	SZ006	478	9,082
	R/L	86ED	C	WH	HONEYCOMB / CRS	SZ007	438	8,322
	R/L	161	C	WH	HONEYCOMB / CRS	SZ008	438	8,322
7'0" HIGH								
3'0"	R/L	61L	C	WH	POLYS / GALV	SZ010	508	9,652
	R/L	RPD	C	WH	POLYS / GALV	SZ011	548	10,412
	R/L	86ED	C	WH	POLYS / GALV	SZ012	508	9,652
	R/L	161	C	WH	POLYS / GALV	SZ013	508	9,652
	R/L	RPD	C	WH	HONEYCOMB / CRS	SZ015	494	9,386
	R/L	86ED	C	WH	HONEYCOMB / CRS	SZ016	454	8,626
	R/L	161	C	WH	HONEYCOMB / CRS	SZ017	454	8,626

NOTES:

1. Stock uses Steelcraft hinge and lock locations.
2. SZ-Series doors come standard with a flush top channel.

Prices subject to change without notice.