Schlage L9000 Series by Allegion

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 08 71 00

PRODUCT DESCRIPTION: The Schlage L9000 Series of lock are mortise locks ideal for use in schools, hospitals and factories, where the finest hardware must also deliver consistent, dependable operation and stand up to constant use and abuse. This HPD presents the materials necessary for functions and options that are available in the L9000 line.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY				
Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Abou	ve the Threshold Indicated:
Nested Materials Method Basic Method	 100 ppm 1,000 ppm Per GHS SDS	ConsideredPartially ConsideredNot Considered	Characterized Percent Weight and Role	© Yes Ĉ No e Provided?
Threshold Disclosed Per Material Product	© Per OSHA MSDS © Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened Using Priority Hazard Lis Identified	● Yes ● No sts with Results Disclosed? ● Yes ● No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SCHLAGE L9000 SERIES [IRON LT-P1 | END COPPER LT-UNK CHROMIUM LT-P1 | RES | END | SKI ZINC LT-P1 | AQU | END | MUL | PHY NICKEL LT-1 | CAN | RES | SKI | MAM | MUL MANGANESE LT-P1 | END | MUL | REP PHOSPHORUS BM-2 | MAM | PHY TUNGSTEN METAL LT-UNK VANADIUM LT-1 | MUL | CAN | GEN CHROMIUM (III), INSOLUBLE SALTS LT-P1 | END | SKI TIN LT-P1 LEAD LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN MOLYBDENUM LT-UNK COBALT(II) SULFATE LT-1 | RES | CAN | REP | AQU | SKI | GEN | MUL ALUMINUM LT-P1 | RES | END | PHY CARBON LT-UNK SILICON LT-UNK NITRIC ACID LT-P1 | SKI | MAM | PHY UNDECANOIC ACID, 11-AMINO-, HOMOPOLYMER LT-UNK 1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE LT-UNK POLYPROPYLENE LT-UNK CHROMIUM HYDROXIDE SULPHATE LT-P1 | MUL | SKI WATER BM-4]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

No certifications have been added to this HPD.

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2018-03-23 PUBLISHED DATE: 2018-04-12 EXPIRY DATE: 2021-03-23



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SCHLAGE L9000 SERIES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were collected for all raw materials included in this product. All chemicals that fall above the stated threshold are included in this section.

OTHER PRODUCT NOTES:

ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
%: 70.0000 - 80.0000	GS: LT-P1	RC: UNK	nano: No	ROLE: Body
IRON				ID: 7439-89-6

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Range due to formulation differences in optional product functions available to the customer.

COPPER				ID: 7440-50-8
%: 8.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

CHROMIUM ID: 7440-4				
%: 7.0000 - 9.0000	GS: LT-P1	RC: None	nano: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNING	es:		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sen only	sitizer-induced - inhalable forms
ENDOCRINE	TEDX - Potential End	ocrine Disruptors	Potential Endocrine Dis	sruptor
SKIN SENSITIZE	MAK		Sensitizing Substance	Sh - Danger of skin sensitization

ZINC ID: 7440-66-6

%: 7.0000 - 10.0000	GS: LT-P1	RC: None	nano: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS	:		
ACUTE AQUATIC	EU - GHS (H-Statemen	its)	H400 - Very toxic to aq	uatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Wa	aters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statemen	its)	H250 - Catches fire spo	ontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H260 - In contact with which may ignite spon	water releases flammable gases taneously

SUBSTANCE NOTES: Range due to formulation differences in optional product functions available to the customer.

NICKEL ID: 7440-02-0

%: 3.0000 - 5.0000	GS: LT-1	RC: None	NANO: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNING	SS:		
CANCER	IARC		Group 1 - Agent is C	arcinogenic to humans
CANCER	IARC		Group 2b - Possibly	carcinogenic to humans
CANCER	CA EPA - Prop 65		Carcinogen	
CANCER	US CDC - Occupation	nal Carcinogens	Occupational Carcin	ogen
CANCER	US NIH - Report on C	US NIH - Report on Carcinogens		ted to be Human Carcinogen
RESPIRATORY	AOEC - Asthmagens	AOEC - Asthmagens		ensitizer-induced - inhalable forms
SKIN SENSITIZE	EU - GHS (H-Stateme	ents)	H317 - May cause an allergic skin reaction	
CANCER	EU - GHS (H-Stateme	ents)	H351 - Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-Stateme	EU - GHS (H-Statements)		age to organs through prolonged or
MULTIPLE	German FEA - Substa Waters	German FEA - Substances Hazardous to Waters		Naters
CANCER	MAK	MAK		- Substances that cause cancer in
RESPIRATORY	MAK	MAK		ce Sah - Danger of airway & skin

MANGANESE		ID: 7439-96-5
%: 0.5000 - 1.0000	gs: LT-P1 RC: UNK	NANO: No ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Range due to formulation differences in optional product functions available to the customer.

PHOSPHORUS				ID: 7723-14 -	
%: 0.0000 - 0.0500	GS: BM-2	RC: None	nano: No	role: Body	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MAMMALIAN	US EPA - EPCRA Substances	Extremely Hazardous	Extremely Hazardous	Substances	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Stat	tements)	H228 - Flammable soli	d	

TUNGSTEN METAL ID: 74)-33-7
%: 0.0000 - 0.0500	GS: LT-UNK	RC: None	nano: No	ROLE: Body	
HAZARDS:	AGENCY(IES) WITH WARNING	S:			
None Found	No warnings found or	n HPD Priority lists			
SUBSTANCE NOTES: Range d	ue to formulation differences	in optional product funct	ions available to the cus	stomer.	

VANADIUM				ID: 7440-62-2		
%: 0.0000 - 0.0500	gs: LT-1	RC: None	nano: No	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WAF	AGENCY(IES) WITH WARNINGS:				
MULTIPLE	German FEA - Su Waters	bstances Hazardous to	Class 3 - Severe Haza	ard to Waters		
CANCER	MAK		Carcinogen Group 2 -	- Considered to be carcinogenic for		

		man
GENE MUTATION	MAK	Germ Cell Mutagen 2

CHROMIUM (III), INSOLUBLE SALTS

ID: 16065-83-1

GS: LT-P1	RC: None	nano: No	ROLE: Body
AGENCY(IES) WITH WARNINGS:			
TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAK		Sensitizing Substance Sh - Danger of skin sensitization	
	AGENCY(IES) WITH WARNINGS: TEDX - Potential Endocrine D	AGENCY(IES) WITH WARNINGS: TEDX - Potential Endocrine Disruptors	AGENCY(IES) WITH WARNINGS: TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Range due to formulation differences in optional product functions available to the customer.

TIN					ID: 7440-31-5	
%: 0.0000 - 0.5000	GS: LT-P1	RC: None	nano: No	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					
		D Priority lists				

LEAD				ID: 7439-92-1		
%: 0.0000 - 0.1000	GS: LT-1	RC: None	nano: No	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WAR	RNINGS:				
MAMMALIAN	EU - R-phrases		R20 - Harmful by Inh	alation (gas or vapor or dust/mist)		
DEVELOPMENTAL	EU - R-phrases		R61 - May cause har	m to the unborn child		
DEVELOPMENTAL	G&L - Neurotoxic	G&L - Neurotoxic Chemicals		otoxicant		
CANCER	US EPA - IRIS Ca	US EPA - IRIS Carcinogens		(1986) Group B2 - Probable human Carcinogen		
CANCER	IARC	IARC		Group 2a - Agent is probably Carcinogenic to humans		
CANCER	IARC	IARC		carcinogenic to humans		
CANCER	CA EPA - Prop 65	j	Carcinogen			
DEVELOPMENTAL	CA EPA - Prop 65	j	Developmental toxic	ity		
PBT	US EPA - Priority	PBTs (NWMP)	Priority PBT			
РВТ	WA DoE - PBT		PBT			
REPRODUCTIVE	CA EPA - Prop 65	5	Reproductive Toxicit	ty - Female		

REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Priority PBTs (PPT)	Priority PBT
РВТ	US EPA - Toxics Release Inventory PBTs	PBT
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
GENE MUTATION	MAK	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Range\ due\ to\ formulation\ differences\ in\ optional\ product\ functions\ available\ to\ the\ customer.}$

MOLYBDENUM ID: 7439-98-7

%: **0.0000 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Body**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

COBALT(II) SULFATE				ID: 10124-43-
%: 0.0000 - 0.1000	GS: LT-1	RC: None	NANO: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARN	INGS:		
RESPIRATORY	AOEC - Asthmager	าร	Asthmagen (G) - gener	ally accepted
CANCER	CA EPA - Prop 65		Carcinogen	
CANCER	US NIH - Report or	n Carcinogens	Reasonably Anticipate	d to be Human Carcinogen
CANCER	EU - SVHC Authori	sation List	Carcinogenic - Prioritiz	zed for listing
REPRODUCTIVE	EU - SVHC Authori	sation List	Toxic to reproduction -	- Prioritized for listing
CHRON AQUATIC	EU - GHS (H-State	ments)	H410 - Very toxic to ac	quatic life with long lasting effects
ACUTE AQUATIC	EU - GHS (H-State	ments)	H400 - Very toxic to ac	quatic life M = 10
SKIN SENSITIZE	EU - GHS (H-State	ments)	H317 - May cause an a	allergic skin reaction
RESPIRATORY	EU - GHS (H-State	ments)	H334 - May cause aller difficulties if inhaled	rgy or asthma symptoms or breathing
GENE MUTATION	EU - GHS (H-State	ments)	H341 - Suspected of ca	ausing genetic defects
CANCER	EU - GHS (H-State	ments)	H350i - May cause can	cer by inhalation
REPRODUCTIVE	EU - GHS (H-State	ments)	H360F - May damage f	ertility
CANCER	EU - REACH Annex	x XVII CMRs	Carcinogen Category 2 regarded as if they are	2 - Substances which should be Carcinogenic to man
REPRODUCTIVE	EU - REACH Anne	XVII CMRs		Category 2 - Substances which if they impair fertility or cause y in humans
MULTIPLE	ChemSec - SIN Lis	t	CMR - Carcinogen, Mu	utagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Sub Waters	stances Hazardous to	Class 3 - Severe Hazar	rd to Waters
CANCER	MAK		Carcinogen Group 2 - 0	Considered to be carcinogenic for
RESPIRATORY	MAK		Sensitizing Substance sensitization	Sah - Danger of airway & skin
CANCER	EU - Annex VI CMF	Rs	Carcinogen Category 1 animal evidence	B - Presumed Carcinogen based on
GENE MUTATION	MAK		Germ Cell Mutagen 3a	
REPRODUCTIVE	EU - Annex VI CMF	Rs	Reproductive Toxicity	- Category 1B
CANCER	Australia - GHS		H350 - May cause can	cer
REPRODUCTIVE	Australia - GHS		H360F - May damage f	rertility

ALUMINUM 1D: 7429-90-5

%: 0.0000 - 0.1000	GS: LT-P1	RC: UNK	nano: No	ROLE: Body	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable form only		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements	EU - GHS (H-Statements)		I	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H261 - In contact with water releases flammable gases		

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Range due to formulation differences in optional product functions available to the customer.

CARBON ID: 7440-44-0

%: 0.0000 - 0.2500	GS: LT-UNK	RC: UNK	nano: No	ROLE: Body	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Range due to formulation differences in optional product functions available to the customer.

SILICON ID: 7440-21-3

%: 0.0000 - 0.5000	GS: LT-UNK	RC: UNK	nano: No	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Range due to formulation differences in optional product functions available to the customer.

NITRIC ACID ID: 7697-37-2

%: 0.0000 - 0.0200	GS: LT-P1	RC: None	nano: No	ROLE: Finish
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H314 - Causes severe s	skin burns and eye damage

MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H272 - May intensify fire; oxidiser
PHYSICAL HAZARD (REACTIVE)	Korea - GHS	H271 - May cause fire or explosion; strong oxidizer

UNDECANOIC ACID, 11-AMINO-, HOMOPOLYMER

ID: **25587-80-8**

%: 0.0000 - 0.0200	GS: LT-UNK	RC: None	nano: No	ROLE: Lubricant Powder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range due to formulation differences in optional product functions available to the customer.

1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE

ID: 24969-26-4

%: 0.0000 - 0.0300	GS: LT-UNK	RC: None	nano: No	ROLE: Plastic Part	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Range due to formulation differences in optional product functions available to the customer.

POLYPROPYLENE				ID: S	9003-07-0		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Plastic Part			
HAZARDS:	AGENCY(IES) WITH WARNII	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Range due to formulation differences in optional product functions available to the customer.

CHROMIUM HYDROXIDE SULPHATE

ID: 12336-95-7

%: 0.0000 - 0.0300	GS: LT-P1	RC: None	nano: No	ROLE: Plating			
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:					
MULTIPLE	German FEA - Substa Waters	nces Hazardous to	Class 2 - Hazard to Waters				
SKIN SENSITIZE	MAK		Sensitizing Substance Sh - Danger of skin sensitization				

WATER ID: 7732-18-5

%: 0.0000 - 0.5000

GS: BM-4

RC: None

NANO: No

ROLE: Plating

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Range\ due\ to\ formulation\ differences\ in\ optional\ product\ functions\ available\ to\ the\ customer.}$



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

This HPD is representative of the Schlage L9000 series. Specifically, it covers the following products: L9010, L9040, L9050, L9070, L9080, L9453. These variations are due to minor differences in parts, and/or configurations of those parts, which result is slightly different lock functions. These minor differences were evaluated for this HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Allegion

ADDRESS: 3899 Hancock Expy

Colorado Springs CO 80911, USA

WEBSITE: https://tinyurl.com/LSeriesMortiseLock

CONTACT NAME: Tim Weller

TITLE: Manager of Codes, Standards and

Sustainability

PHONE: 317-810-3751

EMAIL: Tim.Weller@allegion.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.