



## Schlage ND Series Lockset (Mechanical/Electrified) Allegion

**Final Assembly:** Security, Colorado, USA

**Life Expectancy:** 25 Year(s)

**End of Life Options:** Salvageable/Reusable in its Entirety,  
Recyclable (94%), Landfill (6%)

### Ingredients:

UNS Z33520 Zinc Alloy; Steel (unconfirmed alloy number); UNS C26000 Copper Alloy; UNS C31800 Copper Alloy; UNS C37700 Copper Alloy; UNS Z35531 Zinc Alloy; UNS C22000 Copper Alloy; UNS C26800 Copper Alloy; Brass; Bronze; Electrical Parts<sup>1</sup>; FX-2008-60 Copper-Infiltrated Steel; SS-304N1-30 Sintered Stainless Steel Alloy; Stainless Steel (unconfirmed alloy number); UNS G12144 Steel; UNS Z35636 Zinc Alloy; FD-0208 Sintered Molybdenum-Nickel Steel; UNS C36000 Copper Alloy; UNS G10500 Steel; UNS S43000 Stainless Steel; UNS Z35541 Zinc Alloy; Zinc; Chromium, metallic; FL-5305 Sintered Chromium-Manganese Steel; Nylon-66; Polyacetal; Polycarbonate; UNS C70600 Copper Alloy; UNS C71000 Copper Alloy; UNS G10080 Steel; UNS G10100 Steel; UNS G10380 Steel; UNS G11440 Steel; UNS S30200 Stainless Steel; UNS S30300 Stainless Steel; Aluminum; Copper; Nylon 6; Polyethylene; Undisclosed (< 0.1%)<sup>2</sup>; UNS G10060 Steel; UNS G12134 Steel; Polyoxymethylene Copolymer Pom; UNS S17700 Stainless Steel; UNS S30400 Stainless Steel

<sup>1</sup>LBC Temp Exception RL-002 - Small Electrical Components

<sup>2</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

**Living Building Challenge Criteria:** Compliant

### I-13 Red List:

- |   |                              |
|---|------------------------------|
| <input type="checkbox"/> LBC Red List Free                | % Disclosed: 99.9% at 100ppm |
| <input checked="" type="checkbox"/> LBC Red List Approved | VOC Content: Not Applicable  |
| <input type="checkbox"/> Declared                         |                              |

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

AGN-0009

EXP. 01 MAY 2023

Original Issue Date: 2020