

**CLASSIFICATION:** 08 11 00

**PRODUCT DESCRIPTION:** Von Duprin 98 and 99 heavy duty rim exit devices are for all types of single and double doors with mullion and UL listed for Panic Exit Hardware. Devices are ANSI A156.3 – 2001 Grade 1. Perfect for institutional and commercial applications.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  Yes  No  
Percent Weight and Role Provided?

**Screened**  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

**Identified**  Yes  No  
Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | **HAZARD TYPE**

98/99 SERIES EXIT DEVICE | IRON LT-P1 | END ALUMINUM LT-P1 | RES | END | PHY COPPER LT-UNK ZINC LT-P1 | AQU | END | MUL | PHY NYLON 6,6 LT-UNK CHROMIUM LT-P1 | RES | END | SKI NICKEL LT-1 | CAN | RES | SKI | MAM | MUL SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP MAGNESIUM LT-UNK | PHY FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT (ALKALI GLASS) LT-UNK CARBON BLACK LT-1 | CAN CARBON LT-UNK CARBON LT-UNK NITRIC ACID LT-P1 | SKI | MAM | PHY 2-PROPENITRILE, POLYMER WITH 1,3-BUTADIENE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All materials Characterized, Screened, and Identified. No special conditions applied.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

No certifications have been added to this HPD.

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-04-06

PUBLISHED DATE: 2018-04-19

EXPIRY DATE: 2021-04-06



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

## 98/99 SERIES EXIT DEVICE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals considered through research and communication within company and suppliers.

OTHER PRODUCT NOTES:

### IRON

ID: 7439-89-6

#: 43.6540	GS: LT-P1	RC: UNK	NANO: No	ROLE: Body
------------	-----------	---------	----------	------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

### ALUMINUM

ID: 7429-90-5

#: 38.2880	GS: LT-P1	RC: UNK	NANO: No	ROLE: Body
------------	-----------	---------	----------	------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown

### COPPER

ID: 7440-50-8

%: **8.9800**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**ZINC**

ID: **7440-66-6**

%: **6.0400**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**NYLON 6,6**

ID: **32131-17-2**

%: **1.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**CHROMIUM**

ID: **7440-47-3**

%: **0.8600**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## NICKEL

ID: 7440-02-0

%: <b>0.3840</b>	GS: <b>LT-1</b>	RC: <b>UNK</b>	NANO: <b>No</b>	ROLE: <b>Body</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	IARC		Group 1 - Agent is Carcinogenic to humans	
CANCER	IARC		Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65		Carcinogen	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CANCER	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
CANCER	EU - GHS (H-Statements)		H351 - Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-Statements)		H372 - Causes damage to organs through prolonged or repeated exposure	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
CANCER	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
RESPIRATORY	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## SILICON

ID: 7440-21-3

%: <b>0.2470</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Body</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## MANGANESE

ID: 7439-96-5

%: <b>0.2270</b>	GS: <b>LT-P1</b>	RC: <b>UNK</b>	NANO: <b>No</b>	ROLE: <b>Body</b>
------------------	------------------	----------------	-----------------	-------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## MAGNESIUM

ID: 7439-95-4

#: **0.1590**      GS: **LT-UNK**      RC: **UNK**      NANO: **No**      ROLE: **Body**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT (ALKALI GLASS)

ID: 65997-17-3

#: **0.1080**      GS: **LT-UNK**      RC: **UNK**      NANO: **No**      ROLE: **Body**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

## CARBON BLACK

ID: 1333-86-4

#: **0.0570**      GS: **LT-1**      RC: **UNK**      NANO: **No**      ROLE: **Body**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**CARBON**

ID: 7440-44-0

#: **0.0420** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**CARBON**

ID: 7440-44-0

#: **0.0420** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.

**NITRIC ACID**

ID: 7697-37-2

#: **0.0110** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin burns and eye damage

MAMMALIAN US EPA - EPCRA Extremely Hazardous Substances Extremely Hazardous Substances

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H272 - May intensify fire; oxidiser

PHYSICAL HAZARD (REACTIVE) Korea - GHS H271 - May cause fire or explosion; strong oxidizer

SUBSTANCE NOTES:

**2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE**

ID: 9003-18-3

#: **0.0110** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Body**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown.



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This HPD evaluates the typical product in the 98/99 Series. Optional functions ordered by the customer may change the results.





## MANUFACTURER INFORMATION

---

MANUFACTURER: **Allegion**

ADDRESS: **2720 Tobey Dr.**

**Indianapolis IN 46219, USA**

WEBSITE:

**[https://us.allegion.com/content/dam/allegion-us-2/web-documents-2/Catalog/Von\\_Duprin\\_98.99\\_Series\\_Catalog\\_106590.pdf](https://us.allegion.com/content/dam/allegion-us-2/web-documents-2/Catalog/Von_Duprin_98.99_Series_Catalog_106590.pdf)**

CONTACT NAME: **Tim Weller**

TITLE: **Manager of Codes, Standards and Sustainability**

PHONE: **317-810-3751**

EMAIL: **Tim.Weller@allegion.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products*

*through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*