



NON - MASTER KEYED ORDER

Excel Soft copy - Print Instructions:
To avoid printing more sheets than needed, Select
<Print>, from the print screen select <Print range>,
then select <Pages> from ___ to ___ & click OK.

Quote#	Account No.	P.O.#
Shipping Instructions	Mark Cartons	Date
Order Written By	Customer Name and Address:	Ship to:
For Further Information Contact: Name: Phone: Fax:		

<i>Items Ordered</i>			OUTSIDE		HAND (Only one hand per line Item)	INSIDE		Type one door ID per row	LATCH	STRIKE	Enter door thickness if not std.	Enter when door thickness is greater/equal to 2"	Dimension for mortise cyl, blocking ring, etc.	ADDITIONAL DETAILS
<i>Lock Details =></i>			DESIGN	FINISH		DESIGN	FINISH							
<i>Key / Label Instructions =></i>						QTY	Heading							
LINE ITEM	QTY	PRODUCT									DR THK	EXT	DIM	

Items Ordered			OUTSIDE		HAND (Only one hand per line Item)	INSIDE		Type one door ID per row	LATCH	STRIKE	Enter door thickness if not std.	Enter when door thickness is greater/equal to 2"	Dimension for mortise cyl., blocking ring, etc.	ADDITIONAL DETAILS
Lock Details =>			DESIGN	FINISH		DESIGN	FINISH							
Key / Label Instructions =>														
LINE ITEM	QTY	PRODUCT				QTY	Heading	DOOR#			DR THK	EXT	DIM	

<i>Items Ordered</i>			OUTSIDE		HAND (Only one hand per line Item)	INSIDE		Type one door ID per row	LATCH	STRIKE	Enter door thickness if not std.	Enter when door thickness is greater/equal to 2"	Dimension for mortise cyl., blocking ring, etc.	ADDITIONAL DETAILS
<i>Lock Details =></i>			DESIGN	FINISH		DESIGN	FINISH							
<i>Key / Label Instructions =></i>						QTY	Heading	DOOR#	DR THK	EXT	DIM			
LINE ITEM	QTY	PRODUCT												

Items Ordered			OUTSIDE		HAND (Only one hand per line Item)	INSIDE		Type one door ID per row	LATCH	STRIKE	Enter door thickness if not std.	Enter when door thickness is greater/equal to 2"	Dimension for mortise cyl., blocking ring, etc.	ADDITIONAL DETAILS
Lock Details =>			DESIGN	FINISH		DESIGN	FINISH							
Key / Label Instructions =>														
LINE ITEM	QTY	PRODUCT				QTY	Heading	DOOR#			DR THK	EXT	DIM	

<i>Items Ordered</i>			OUTSIDE		HAND (Only one hand per line Item)	INSIDE		Type one door ID per row	LATCH	STRIKE	Enter door thickness if not std.	Enter when door thickness is greater/equal to 2"	Dimension for mortise cyl., blocking ring, etc.	ADDITIONAL DETAILS
<i>Lock Details =></i>			DESIGN	FINISH		DESIGN	FINISH							
<i>Key / Label Instructions =></i>														
LINE ITEM	QTY	PRODUCT				QTY	Heading	DOOR#			DR THK	EXT	DIM	