


SFIC: Insert driver into back of core. Insert key into core. Turn key 15° CW and hold.


Insert core into lever.



(Small Format IC)


(b) Select Tailpiece. See below. (c) Install Tailpiece. Place tailpiece against back of cyl. Place cap over tailpiece. Depress cap pin. Rotate





b) Insert push pin into lever hole. Depress lever catch. Pull off lever. (c) Rotate key 180° CCW. Slide lever

onto spindle.




180° CW. Reinstall lock.

driver tool

(provided)





WIRELESS ACCESS MODULAR LOCKS

WA5200 & AUWA5200 CYLINDRICAL SERIES



Schlage Lock Company

575 Birch Street Forrestville, CT 06010 technical support: 866-322-1237 email: SESsupport@irco.com web: www.irsupport.net

INSTALLATION INSTRUCTIONS

INTRODUCTION:

This manual covers the complete hardware installation of all models in the WA5200 & AUWA5200 Cylindrical Series line of Wireless Access Modular Locks.

NOTES:

Illustration on pages 2 and 3 shows a LH installation, but yours might be different.

When mounting Reader and Transceiver:

- Wear some form of ESD protection.
- Do not use power tools to tighten mount screws. Hand tools only.
- Turn in each mount screw a little bit at a time.
- Do not over tighten mount screws.

If cylinder key does not work properly, check that cylinder and appropriate cylinder cam are installed in correct position.

NON-SUPPLIED TOOLS & MATERIALS NEEDED:

- Philips head screwdriver set
- Power Drill with 3/8"[10mm] chuck
- Drill bit set (up to 1"[25mm])
- 2-1/8"[54mm] hole saw w/mandrel
- Allen wrench set
- Square (90 degrees)
- Threadlocker (Loctite 242 recommended)
- Tape Measure
- Pencil
- Center Punch
- Chisel
- Masking tape

180°


Fire rated putty (recommend-Metacaulk Putty from Rectorseal Corp.)

See Back Cover for:


- Door & Frame Prep
- Interchangeable Core Installation
- Tailpiece Installation
- Lock Timing: SFIC. Standard. & LFIC

FCC Compliance

- This device has been authorized by the FCC Rules and Industry Canada. • This device complies with the limits for a Class B digital device and a Class B intentional radiator, pursuant to Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- The Wireless Access System Component must be installed by qualified professionals or contractors in accordance with FCC part 15.203, Antenna Requirements
- Do not use any antenna other than the one provided with the unit. **UL Compliance**
- ◆ The WA5200 & AUWA5200 Wireless Access Cylindrical Locks are listed under UL294 as an access control system accessory.
- The WA5200 & AUWA5200 Wireless Access Cylindrical Locks are listed under UI 10C.
- Access equipment manufactured and/or sold by Ingersoll Rand Security Technologies is not rated for, or intended for use in life safety installations.
- For UL installations that use a Door Position Switch, use a UL listed door/window contact. Door contacts for door position monitoring are not for intrusion protection.
- No standby power provided.
- The WA5200's & AUWA5200's maximum current at 12 VDC is 250 mA.
- RF Exposure To comply with FCC RF exposure requirements for mobile transmitting devices, this transmitter should only be used or installed at locations where there is normally at least a 20 cm separation between the antenna and all persons.
- Do not co-locate and operate in conjunction with any other antenna or
- Use only the Battery Pack specified in this instruction manual.
- Do not subject Battery Pack to fire or high temperatures.
- Do not attempt to recharge, short out or disassemble Battery Pack.
- Follow local regulations for alkaline battery disposal.
- Immediately remove the batteries and discontinue use if: the product is impacted after which the interior is exposed, or the product emits a strange smell, heat, or smoke.
- Changes or modifications not expressly approved by Ingersoll Rand Security Technologies could void the user's authority to operate the



- 1 Insert A.
- 2 Place B against A, secure with C.
- 3 Insert D.



After strike components have been installed, refer to illustration on right & assemble lock components onto door in following order :

- 1 For metal doors, file off all burrs on edges of thru hole E.
- 2 Insert F into latch hole, secure with G.
- 3 Feed H thru DSM hole and out thru wire hole 1.
- 4 Insert I into **DSM hole**.
- 5 Refer to **DETAIL D-A** and adjust the D-Lock Chassis.
- 6 Feed N thru Lever Hole.
- 7 Insert O into Lever Hole.

NOTE: P to engage with F. See DETAIL D-B.

- 8 Feed N thru Q.
- 9 Align **Q** as in illustration & place against door. NOTE: **N** to be completely inside notch (**R**).
- 10 With S held against Q, route N snugly around outside of S and out thru top. Refer to **DETAIL D-C** for routing.
- 11 Fully insert **T** into outside of door.
- 12 With lever catch (**U**) pointing to **F**, slide **V** over **O**, secure with **W**.
- 13 Place X over V with notch (Y) at top.
- 14 Press **Z** onto **V** until it clicks in place.
- 15 Feed **H** thru square opening in **Aa**.
- 16 Feed Ba thru Wire Hole 1.
- 17 Place Aa against door, secure with Ca.
- 18 Place Da over N, secure with Ea.
- 19 If lock has REN option, do the following:
 - >Route Fa on Ga thru Ha. Refer to DETAIL D-D.
 - >Feed **Fa** thru **wire hole 1** & square opening in **Aa**.
- 20 Connect N to the mating connector on Aa.
- 21 Connect Ba to Ha. Refer to DETAIL D-E or DETAIL D-F.
 - If prox reader, remove Ia, plug in Ba, reinstall Ia.
 If mag stripe reader, bend Ja, plug in Ba, release Ja.
- 22 For wood doors, fill wire hole 1 with fire rated puty.NOTE: Metal doors do not require wire hole 1 to be filled.
- 23 Place Ha against door, secure with Ka.
- 24 Place Ga over Ha, secure with La.
- 25 Place Ma into Aa, secure with Na & Oa.
- 26 Refer to **DETAIL D-G** and insert the 2 wires (**H**) into **Pa**, secure by tightening **Qa**.
- 27 If lock has REN option, connect **Fa** to mating connector on **Aa**.

CONTINUED ON PAGE 3...

