

Product Release Information: CTE Firmware 01.06.06

Product	CTE
Version Number	01.06.06
Firmware Release Date	May 2021
Customer Support	For more information or support, visit the ENGAGE website.

Attention:

This document contains the **Release Notes** for CTE device firmware version **01.06.06**. This version includes feature updates and improvements made after the CTE product firmware 1.05.00 released in November of 2020.

Installation and Update Notes:

Device firmware updates are available May 2021 through the ENGAGE[™] cloud database.

From the ENGAGE web portal, each lock may be independently selected by the site administrator to have the latest firmware downloaded during the next scheduled Wi-Fi connection. The site administrator may connect locally to individual devices with the ENGAGE mobile application to update a CTE with the latest firmware.

Firmware versions that will be installed with this update:

- Main Application 01.06.06
- Reader MT Application 09.36.00
- Reader MTB Application 60.47.18
- BLE Application 02.13.06.327,01.10.03,01-1.7.0
- Wi-Fi Application: 02.10.0.0

NOTE: The **BOLD** item(s) are updated from the previous release

Other system components versions to be used with this release: (or newer)

- Gateway 01.60.09
- MT20W **40.04.00**
- Android Application **4.6.30**
- iOS application 3.3.142
- ENGAGE **7.6.0**



Who should update?

Allegion suggests that customers utilize the latest firmware release to take advantage of the latest functionality, bug fixes, and security enhancements. We strive to provide the best products and service for our customers.

Specifically, any customer interested in any of the following New Features and Recent Changes should update their CTE lock firmware to version 01.06.06.

New Features:

- No-Tour Support for BLE Mobile Credentials
 - Support added for No-Tour Enrollment of Schlage Mobile Credentials using the latest Schlage Mobile Access application
- 210 Mode WiFi Alert for pressing the Inside Push Button
 - A new Alert will be sent when the Inside Push Button is used
- Block Construction Mode feature added
 - This feature may be enabled or disabled from the mobile app to prevent unauthorized users from entering Construction Mode after factory default resetting the lock
- Added Support for updating MT/ MTB readers for Android NFC Mifare 2 Go

Recent Changes:

- Improved the robustness of Audit retrieval
- Improved the robustness of BLE connections to reduce the number of disconnects
- Factory Firmware Reset has been disabled to increase security
- General Security Updates
- Firmware Downgrade Blocking
 - Devices upgraded to or shipped with Firmware version 01.06.06 can not be downgraded to a version released before 01.06.06
- Fixed an issue causing "HMAC Validation Error" audits



- Fixed an issue where names over 28 characters would be accepted during commissioning
- Fixed an issue in 410RSI mode where "Relock Method" was not holding configuration when set by the Mobile App
- Fixed an issue where an "Unknown Data Error" audit would be generated during configuration updates
- Fixed an issue where a Scheduled Auto Unlock would not occur when First In is enabled

Revision	COMMENTS	DATE
SES20210322A	Release Notes for CTE as part of ENGAGE 7.6.0	04-28-2021