

HPD UNIQUE IDENTIFIER: 694329809920

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: Von Duprin PS900 Series power supplies offer a high degree of configurability to address the changing needs of the electronic access control market. Designed with versatility and reliability in mind, they can be factory ordered to meet specific needs or configured in-field using a wide selection of option boards. Their use of separate battery management ensures tight output power regulation to protect downstream devices. The series includes four models: PS902, PS904, PS906, and PS914. They vary by total amperage output capability, ranging from 2 to 6 amps with the PS914 having a 16 amp inrush feature.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities Evaluation</b></p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p><b>Explanation(s) provided :</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p><b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE**

VON DUPRIN POWER SUPPLIES [ ALUMINUM BM-1 ] END | MAM | PHY C13-14 ISOPARAFFIN BM-2 | CAN | MAM | AQU (POLYETHYL)BENZENES BM-1 | MUL | MAM | SKI | AQU SPCC STEEL - METAL HOUSING ELECTRONIC POWER SUPPLY STUD 1215 ]

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]  
 Special Conditions applied: [Electronics]

Inventory based on Metal housing of power supplier. All small electrical devices within the product are RoHS compliant.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
 Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
 VERIFICATION #:

SCREENING DATE: 2023-06-19

PUBLISHED DATE: 2023-06-19

EXPIRY DATE: 2026-06-19

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### VON DUPRIN POWER SUPPLIES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities in metal alloy considered. Additionally RoHS compliance test confirmed absence of impurities in non-metal parts.

OTHER PRODUCT NOTES:

#### SPCC STEEL - METAL HOUSING

ID: **UNS G10080**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

#: **80.0000 - 85.0000**

GreenScreen: **See notes**

RC: **None**

NANO: **No**

MATERIAL ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS G10080](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: **None**

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD.

#### ELECTRONIC POWER SUPPLY

ID: **Electronic Component**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

#: **10.0000 - 15.0000**

GreenScreen: **Not Required**

RC: **None**

NANO: **No**

MATERIAL ROLE: **Electronic component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION: PS900 series power supplies convert high voltage AC power into the regulated low voltage DC outputs required by most access control devices.

EU ROHS COMPLIANCE: **Yes**

END-OF-LIFE MANAGEMENT: **No end-of-life management plan**

MATERIAL CONTENT NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**%: **1.0000 - 3.0000**      GreenScreen: **See notes**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Structure component**

HAZARD TYPE      AGENCY AND LIST TITLES      WARNINGS

Hazard Screening is not applicable to this Special Condition

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ [UNS G12150](#) ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: **None**

LISTING NOTES: No Additional Listings appear for the alloy.

MATERIAL CONTENT NOTES: GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD.

**ALUMINUM**ID: **7429-90-5**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2023-06-19 9:02:42**%: **0.0000 - 1.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Powder coating**

HAZARD TYPE      LIST NAME AND SOURCE      WARNINGS

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable solids category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: Substance in metal housing powder coat.

**C13-14 ISOPARAFFIN**

ID: 64742-47-8

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2023-06-19 9:02:42</b>		
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Powder coating</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Some Solvents		

SUBSTANCE NOTES: Substance in metal housing powder coat.

**(POLYETHYL)BENZENES**

ID: 64742-94-5

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2023-06-19 9:02:43</b>		
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Powder coating</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Some Solvents

SUBSTANCE NOTES: Substance in metal housing powder coat.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-06-06	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The series includes four models: PS902, PS904, PS906, and PS914.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Allegion  
**ADDRESS:** 2720 Tobey Dr  
 Indianapolis IN 46219, United States  
**WEBSITE:** [www.allegion.com](http://www.allegion.com)

**CONTACT NAME:** Aaron Owens  
**TITLE:** Sustainability Specialist  
**PHONE:** 317-810-3751  
**EMAIL:** [aaron.owens@allegion.com](mailto:aaron.owens@allegion.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*